



Guide

Document management API Guide for DECIDIUM

Published on
Feb 28, 2024, 02:08 PM

Last modified
Mar 20, 2026, 04:11 PM



ADP Copyright Information

ADP, the ADP logo, and Always Designing for People are trademarks of ADP, Inc.

Windows is a registered trademark of the Microsoft Corporation.

All other trademarks are the property of their respective owners.

Copyright © 2026 ADP, Inc. ADP Proprietary and Confidential - All Rights Reserved. These materials may not be reproduced in any format without the express written permission of ADP, Inc.

These materials may not be reproduced in any format without the express written permission of ADP, Inc. ADP provides this publication "as is" without warranty of any kind, either expressed or implied, including, but not limited to, the implied warranties of merchantability or fitness for a particular purpose. ADP is not responsible for any technical inaccuracies or typographical errors which may be contained in this publication. Changes are periodically made to the information herein, and such changes will be incorporated in new editions of this publication. ADP may make improvements and/or changes in the product and/or the programmes described in this publication.

Published on
Feb 28, 2024, 02:08 PM

Published on
Mar 20, 2026, 04:11 PM




Table of Contents

Chapter 1

About this API

What's New in this Guide?

February 2024

Process Overview

Required Setup Steps

Postman Validation

Chapter 2

Use Case: Synchronizing Identity Document Using Notifications

Before You Begin

Use Case Description

Supported Notifications

Dossiers Individuels > Informations administratives> Pièces identité et visas

Chapter 3

Use Case: Updating Identity document for an Employee

Use Case Description

API Usage

Application Scope

Data Dictionary

Responses

Chapter 4

Use Case: Synchronizing Immigration Documents Using Notifications

Before You Begin

Use Case Description

Supported Notifications

Dossiers Individuels > Situation Personnelle > Nationalité > Collaborateurs étrangers

Chapter 5

Use Case: Updating Immigration document for an Employee

Use Case Description

API Usage

Application Scope

Data Dictionary

Responses

Chapter 6

Appendixes

Appendix A: Data Dictionary

Chapter 1

About this API

What's New in this Guide?

In this section, we will announce any new revisions to the Workers - Document Management Application Programming Interface (API) and this guide.

February 2024

First revision of the document

Process Overview

The following table shows how your data connector application would be used by a client.

	Actor Task	Description
1	Client Practitioner	Trigger the API-based data exchange between your application and DECIDIUM.
2	Your application	Gets beneficiaries details created for an associateID using the Dependents API.
3	Client Practitioner	Verifies the information within the DECIDIUM user interface (UI),
4	Employee	Verifies the information within DECIDIUM.

Required Setup Steps

There are no required setup steps.

Postman Validation

Postman allows you to import a collection of APIs, created by others, so you can try them out. For more information on Postman, see [ADP Marketplace ESI - Getting Started + Event Notifications](#)

Chapter 2

Use Case: Synchronizing Identity Document Using Notifications

Before You Begin

See [All You Need to Know about Processing Notification Messages](#) (to be done).

Use Case Description

ADP applications trigger notifications when data is updated, and your application subscribes notifications to sync-up data. For more information about ADP notifications, see [ADP Event APIs and Event Notification Guide](#).

Supported Notifications

The tables in the following sections list all supported notifications. The following describes how the tables are set-up:

The table title describes the navigation path to the DECIDIUM screen.

- Field Name – Indicates the name of the field.
- Application Scope – Lists the canonical ID to be added to your application.
- GitHub Sample Payload – Lists the file name and location where you could find sample payload on ADP's GITHUB repository.

Dossiers Individuels > Informations administratives> Pièces identité et visas

Link to API Explorer: [Workers - Document management](#)

Changes that Trigger a Notification	Application Scope	API and Event Type
Add Identity document	/hr/workerInformationManagement/workerManagement/associateManagement/worker.identityDocument.add.read	/events/hr/v1/worker.identity-document.add/{event-id}
Change Identity document	/hr/workerInformationManagement/workerManagement/associateManagement/worker.identityDocument.change.read	/events/hr/v1/worker.identity-document.change/{event-id}
Remove Identity document	/hr/workerInformationManagement/workerManagement/associateManagement/worker.identityDocument.remove.read	/events/hr/v1/worker.identity-document.remove/{event-id}

Chapter 3

Use Case: Updating Identity document for an Employee

Use Case Description

The Identity-document API is used to manage the identity documents for the employee within a client.

API Usage

Link to API Explorer: [Workers - Document management](#)

Method	Uniform Resource Identifier (URI)	Description
POST	/events/hr/v1/worker.identity-document.add	Add a new worker's identity document
POST	/events/hr/v1/worker.identity-document.change	Modify worker's identity document data.
POST	/events/hr/v1/worker.identity-document.remove	Remove a worker's identity document.

Application Scope

The canonical URI corresponding to the API needs to be added in the Consumer Application Registry (CAR) for the subscription following which a user can access this API and make successful API calls.

The following canonical needs to be added to your application scope to enable this use case:

`/hr/workerInformationManagement/workerManagement/associateManagement/worker.identityDocument.add`

`/hr/workerInformationManagement/workerManagement/associateManagement/worker.identityDocument.change`

`/hr/workerInformationManagement/workerManagement/associateManagement/worker.identityDocument.remove`

Data Dictionary

See Appendixes : Appendix A: Data Dictionary

Note : All listed fields are supported for this use case.

Responses

You may encounter exceptions outside your common success scenarios. You must account for these exceptions during your initial development. For more information, see [API Common Exceptions and Tips for Handling](#).

Chapter 4

Use Case: Synchronizing Immigration Documents Using Notifications

Before You Begin

See All You Need to Know about Processing Notification Messages (to be done).

Use Case Description

ADP applications trigger notifications when data is updated, and your application subscribes notifications to sync-up data. For more information about ADP notifications, see [ADP Marketplace ESI - Event notifications](#).

Supported Notifications

The tables in the following sections list all supported notifications. The following describes how the tables are set-up:

The table title describes the navigation path to the DECIDIUM screen.

- Field Name – Indicates the name of the field.
- Application Scope – Lists the canonical ID to be added to your application.
- GitHub Sample Payload – Lists the file name and location where you could find sample payload on ADP's GITHUB repository.

Dossiers Individuels > Situation Personnelle > Nationalité > Collaborateurs étrangers

Link to API Explorer: [Workers - Document management](#)

Changes that Trigger a Notification	Application Scope	API and Event Type
Add Immigration document	<code>/hr/workerInformationManagement/workerManagement/associateManagement/worker.immigrationDocument.add.read</code>	<code>/events/hr/v1/worker.immigration-document.add/{event-id}</code>
Change Immigration	<code>/hr/workerInformationManagement/workerManagement/associateManagement/worker.immigrationDocument.change.read</code>	<code>/events/hr/v1/worker.immigration-document.change/{event-id}</code>

document		
Remove Immigration document	/hr/workerInformationManagement/workerManagement/associateManagement/worker.immigrationDocument.remove.read	/events/hr/v1/worker.immigration-document.remove/{event-id}

Chapter 5

Use Case: Updating Immigration document for an Employee

Use Case Description

The Identity-document API is used to manage the immigration documents for the employee within a client.

API Usage

Link to API Explorer: [Workers - Document management](#)

Method	Uniform Resource Identifier (URI)	Description
POST	/events/hr/v1/worker.immigration-document.add	Add a new worker's immigration document
POST	/events/hr/v1/worker.immigration-document.change	Modify worker's immigration document data.
POST	/events/hr/v1/worker.immigration-document.remove	Remove a worker's immigration document.

Application Scope

The canonical URI corresponding to the API needs to be added in the Consumer Application Registry (CAR) for the subscription following which a user can access this API and make successful API calls.

The following canonical needs to be added to your application scope to enable this use case:

/hr/workerInformationManagement/workerManagement/associateManagement/worker.immigrationDocument.add

/hr/workerInformationManagement/workerManagement/associateManagement/worker.immigrationDocument.change

/hr/workerInformationManagement/workerManagement/associateManagement/worker.immigrationDocument.remove

Data Dictionary

See Appendixes : Appendix A: Data Dictionary

Note : All listed fields are supported for this use case.

Responses

You may encounter exceptions outside your common success scenarios. You must account for these exceptions during your initial development. For more information, see [API Common Exceptions and Tips for Handling](#).

Chapter 6

Appendixes

Appendix A: Data Dictionary

The data dictionary provides the schema resource to application user interface field mapping.

Schema Location	Field Name	Note
/workers/associateOID	Associate OID	
/workers/person/immigrationDocuments[0]/typeCode/codeValue	"SSN"	
/workers/person/immigrationDocuments[0]/typeCode/shortName	"Numéro de sécurité sociale"	
/workers/person/identityDocuments[0]/documentID	N° Sécurité Sociale	
/workers/person/identityDocuments[0]/issueDate	Date de délivrance	
/workers/person/identityDocuments[0]/expirationDate	Date d'expiration	
/workers/person/identityDocuments[0]/issuingParty/nameCode/codeValue	Organisme de délivrance	
/workers/person/immigrationDocuments[1]/typeCode/codeValue	"IDCard"	
/workers/person/immigrationDocuments[1]/typeCode/shortName	"Carte d'identité"	
/workers/person/identityDocuments[0]/documentID	N° carte identité	
/workers/person/identityDocuments[1]/issueDate	Date de délivrance	
/workers/person/identityDocuments[1]/expirationDate	Date d'expiration	
/workers/person/identityDocuments[1]/issuingParty/nameCode/codeValue	Organisme de délivrance	
/workers/person/immigrationDocuments[2]/typeCode/codeValue	"passport"	
workers/person/immigrationDocuments[2]/typeCode/shortName	"Passeport"	
/workers/person/identityDocuments[2]/documentID	N° Passeport	
/workers/person/identityDocuments[2]/issueDate	Date de délivrance	
/workers/person/identityDocuments[2]/expirationDate	Date d'expiration	

/workers/person/identityDocuments[2]/issuingParty/nameCode/codeValue	Organisme de délivrance	
/workers/person/immigrationDocuments[3]/typeCode/codeValue	"visa1"	
/workers/person/immigrationDocuments[3]/typeCode/shortName	"Visa 1"	
/workers/person/identityDocuments[3]/documentID	N° de visa (1)	
/workers/person/identityDocuments[3]/issueDate	Date de délivrance	
/workers/person/identityDocuments[3]/expirationDate	Date d'expiration	
/workers/person/identityDocuments[3]/issuingParty/nameCode/codeValue	Organisme de délivrance	
/workers/person/immigrationDocuments[4]/typeCode/codeValue	"visa2"	
/workers/person/immigrationDocuments[4]/typeCode/shortName	"Visa 2"	
/workers/person/identityDocuments[4]/documentID	N° de visa (2)	
/workers/person/identityDocuments[4]/issueDate	Date de délivrance	
/workers/person/identityDocuments[4]/expirationDate	Date d'expiration	
/workers/person/identityDocuments[4]/issuingParty/nameCode/codeValue	Organisme de délivrance	
/workers/person/immigrationDocuments[0]/typeCode/codeValue	"ResPermit"	
/workers/person/immigrationDocuments[0]/typeCode/shortName	"Residence Permit"	
/workers/person/immigrationDocuments[0]/documentID	N° de la carte de séjour	
/workers/person/immigrationDocuments[0]/expirationDate	Date expiration de la carte de séjour	
/workers/person/immigrationDocuments[0]/issueDate	Date de délivrance de la carte de séjour	
/workers/person/immigrationDocuments[0]/issuingParty/nameCode/codeValue	Organisme de délivrance de la carte de séjour	
/workers/person/immigrationDocuments[1]/typeCode/codeValue	"WorkPermit"	Client ATOO uniquement
/workers/person/immigrationDocuments[1]/typeCode/shortName	"Work Permit"	Client ATOO uniquement

/workers/person/immigrationDocuments[1]/documentID	N° de carte de travail	Client ATOO uniquement
/workers/person/immigrationDocuments[1]/expirationDate	Date expiration carte de travail	Client ATOO uniquement
/workers/person/immigrationDocuments[1]/issueDate	Date de délivrance de la carte de travail	Client ATOO uniquement
/workers/person/immigrationDocuments[1]/issuingParty/nameCode/codeValue	Organisme de délivrance de la carte de travail	Client ATOO uniquement