

Chapter 3


Use an Access Token to Access ADP Data

from Understanding the Data Connector App Authorization Process

Published on
Nov 08, 2019, 04:07 AM

Last modified
Oct 07, 2024, 03:26 PM





ADP Copyright Information

ADP, the ADP logo, and Always Designing for People are trademarks of ADP, Inc.

Windows is a registered trademark of the Microsoft Corporation.


All other trademarks are the property of their respective owners.

Copyright © 2024 ADP, Inc. ADP Proprietary and Confidential - All Rights Reserved. These materials may not be reproduced in any format without the express written permission of ADP, Inc.

These materials may not be reproduced in any format without the express written permission of ADP, Inc. ADP provides this publication "as is" without warranty of any kind, either expressed or implied, including, but not limited to, the implied warranties of merchantability or fitness for a particular purpose. ADP is not responsible for any technical inaccuracies or typographical errors which may be contained in this publication. Changes are periodically made to the information herein, and such changes will be incorporated in new editions of this publication. ADP may make improvements and/or changes in the product and/or the programmes described in this publication.

Published on
Nov 08, 2019, 04:07 AM

Published on
Oct 07, 2024, 03:26 PM



Chapter Contents

Chapter 3

Understanding the Data Connector App Authorization Process

Use an Access Token to Access ADP Data

After your consumer application obtains an access token from ADP, your application can use the access token to invoke ADP APIs to retrieve ADP data. Your application must:

- Pass the access token in the request using the Authorization request header field with the Bearer HTTP authorization scheme.
- Send the request with the X.509 certificate provided during registration.

The following shows an example request, with line breaks and spaces for readability.

```
GET /hr/v2/workers HTTP/1.1
Host: api.adp.com
Authorization: Bearer 024ded5f831d4483a9c606710026b09b
Accept: application/json
```