



Guide

Work Schedules API Guide for ADP TimeConnect

Published on
Feb 28, 2024, 12:01 PM

Last modified
Nov 25, 2025, 08:23 AM





ADP Copyright Information

ADP, the ADP logo, and Always Designing for People are trademarks of ADP, Inc.

Windows is a registered trademark of the Microsoft Corporation.

All other trademarks are the property of their respective owners.

Copyright © 2025 ADP, Inc. ADP Proprietary and Confidential - All Rights Reserved. These materials may not be reproduced in any format without the express written permission of ADP, Inc.

These materials may not be reproduced in any format without the express written permission of ADP, Inc. ADP provides this publication "as is" without warranty of any kind, either expressed or implied, including, but not limited to, the implied warranties of merchantability or fitness for a particular purpose. ADP is not responsible for any technical inaccuracies or typographical errors which may be contained in this publication. Changes are periodically made to the information herein, and such changes will be incorporated in new editions of this publication. ADP may make improvements and/or changes in the product and/or the programmes described in this publication.

Published on
Feb 28, 2024, 12:01 PM

Published on
Nov 25, 2025, 08:23 AM




Table of Contents

Chapter 1

Use Case: Retrieving Work Schedules details for an Employee.

Use Case Description

The Work Schedules API is used to fetch data about public holidays and days off of one employee for a given period.

API Usage

Application Scope

Request End Point Parameters

Request Header Information

Data Entitlement

Output pay load

Sequence of interactions

Use Case: Retrieving Work Schedules details for an Employee.

Use Case Description

The Work Schedules API is used to fetch data about public holidays and days off of one employee for a given period.

API Usage

Link to API explorer : [Work schedule](#)

Method	Uniform Resource Identifier (URI)	Description
GET	/time/v1/workers/{aoid}/work-schedules?\${filter=schedulePeriod/startDate ge '2024-01-01' and schedulePeriod/endDate le '2024-12-31'	Getting the time table, all public holidays and days off for an employee

Application Scope

The canonical URI corresponding to the API needs to be added in the Consumer Application Registry (CAR) for the subscription following which a user can access this API and make successful API calls.

The following canonical needs to be added to your application scope to enable this use case :

`/time/timeLaborManagement/scheduleManagement/workScheduleManagement/workSchedule.read`

Request End Point Parameters

Path Parameter	Description
Associate Object ID (AOID)	Associate ID of the employee (for a specific employee)

Request Header Information

There are no request header parameters, in addition to the ADP standard header parameters.

Supported OData Query Options

Filter fields	Description	Example
schedulePeriod/startDate	Start of the requested period	schedulePeriod/startDate ge '2024-01-01'
schedulePeriod/endDate	End of the requested period	schedulePeriod/endDate le '2024-12-31'

Fields can be combined:

```
$filter=schedulePeriod/startDate ge '2024-01-01' and schedulePeriod/endDate le '2024-12-31'
```

Data Entitlement

Is important to consider that the API results are bound to the consumer's rights and population. These rights define the reach of the visible fields in the JSON obtained in a GET method. In a POST method, the data to be sent is, again, bound to consumer's rights.

Every consumer is part of a population where he has the right to access associate's data. If the request is being made for an associate that doesn't belong to the population then an error response will be returned

Output pay load

The payload contains a list of work schedules but only one is provided by ATC.

Location	Description	Example
itemID	Associate ID of the employee	
associateOID	Associate ID of the employee	
scheduleDays	A list of schedule days of an employee for a given period	
scheduleDay Date	Date of scheduled day	2024-12-31
scheduleEntries	A list of schedule entries for a specific date	
shiftTypeCode	Shift type code contains one of the following value : <ul style="list-style-type: none"> • publicHoliday: indicates a public holiday. • restDay: indicates a day off. • timetable's code 	
dayPeriodCode	Set if the employee provides his presence time in day period mode. It contains one of the following values:	

	<ul style="list-style-type: none"> • 1 : Morning • 2 : Afternoon • 3 : whole day 	
dateTimePeriod	Set if the employee provides his presence time in time pair or clock in/out mode	<pre>"dateTimePeriod": { "startDateTime": "2025-12-31T09:00:00+01:00", "endDateTime": "2025-12-31T12:00:00+01:00" }</pre>
duration	Set if the employee provides his presence time in duration mode	<pre>"duration": "PT6H0M"</pre>

Sequence of interactions

The following are the steps to retrieve the work schedules information:

1. Your consumer application requests to the ADP API endpoint to GET the work schedules information.
2. The ADP API endpoint responds to your consumer application with work schedules information according to the data entitlement.