**Chapter 1**

Subscription Response Error Codes

from ADP Marketplace Integration - Valid Subscription Response Error Codes Guide

Published on
Jul 12, 2021 10:15AM

Last modified
Aug 04, 2021 4:16PM

ADP Copyright Information

ADP, the ADP logo, and Always Designing for People are trademarks of ADP, Inc.

Windows is a registered trademark of the Microsoft Corporation.

All other trademarks are the property of their respective owners.

Published on
Jul 12, 2021 10:15AM

Last modified
Aug 04, 2021 4:16PM

Chapter Contents

Subscription Response Error Codes

Occasionally, it's necessary to return an error when a client subscribes to your Marketplace app. To communicate a failure when processing information from Marketplace event, one of the following error codes must be returned:

Error code	This code is typically returned when:
USER_ALREADY_EXISTS	ADP Marketplace admins try to buy subscriptions for apps they have already purchased directly from the application vendor. In this scenario, we will show the user an error message and prompt them to link their account.
USER_NOT_FOUND	ADP Marketplace admins try to unassign users not found in the application vendor's account.
ACCOUNT_NOT_FOUND	ADP Marketplace admins try to add or remove users from an account not found in the application vendor's records.
MAX_USERS_REACHED	ADP Marketplace admins try to assign users beyond the limit of the number of seats available. ADP Marketplace will typically prevent that from happening by monitoring application usage.
UNAUTHORIZED	Users try any action that is not authorized for that particular application, e.g., if an application does not allow the original creator to be unassigned.
OPERATION_CANCELLED	A user manually interrupts the operation (clicking cancel on the account creation page, etc.).
CONFIGURATION_ERROR	The vendor endpoint is not currently configured.
INVALID_RESPONSE	The vendor was unable to process the event fetched from ADP Marketplace.
PENDING	The vendor was unable to process the event because the service is under provisioning.
FORBIDDEN	The operation is not allowed.
BINDING_NOT_FOUND	The specified binding cannot be found.
TRANSPORT_ERROR	There is a transport error, such as the server being unreachable.
UNKNOWN_ERROR	None of the other error codes apply.