

Chapter 2


Use Case: Retrieving All the Details of the Beneficiaries Added for an Employee

from Beneficiaries API Guide for ADP Workforce Now Guide

Published on
May 20, 2020 12:53PM

Last modified
Apr 18, 2022 8:57AM





ADP Copyright Information

ADP, the ADP logo, and Always Designing for People are trademarks of ADP, Inc.

Windows is a registered trademark of the Microsoft Corporation.


All other trademarks are the property of their respective owners.

Copyright © 2022 ADP, Inc. ADP Proprietary and Confidential - All Rights Reserved. These materials may not be reproduced in any format without the express written permission of ADP, Inc.

These materials may not be reproduced in any format without the express written permission of ADP, Inc. ADP provides this publication "as is" without warranty of any kind, either expressed or implied, including, but not limited to, the implied warranties of merchantability or fitness for a particular purpose. ADP is not responsible for any technical inaccuracies or typographical errors which may be contained in this publication. Changes are periodically made to the information herein, and such changes will be incorporated in new editions of this publication. ADP may make improvements and/or changes in the product and/or the programmes described in this publication.

Published on
May 20, 2020 12:53PM

Last modified
Apr 18, 2022 8:57AM



Chapter Contents

Chapter 2

Use Case: Retrieving All the Details of the Beneficiaries Added for an Employee

- API Usage
- Application Scope
- Supported Actors
- Request End Point Parameters
- Request Header Parameters
- Supported OData Query Options
- Sequence of Interactions
- Supported Event Notifications
- Data Dictionary
- Responses

Chapter 2

Use Case: Retrieving All the Details of the Beneficiaries Added for an Employee

API Usage

Beneficiaries

Application Scope

The canonical URI corresponding to the API needs to be added in the Consumer Application Registry (CAR) for the subscription. Following which, a user can access this API and make successful API calls.

The following canonical needs to be added to your application scope to enable this use case:
/benefits/benefitsManagement/benefitsElectionManagement/beneficiaryManagement/beneficiary.read

Supported Actors

Request Parameter roleCode Value	Usage
Practitioner	Retrieves a list of all available beneficiaries for an employee as a practitioner. A system user is considered a practitioner.

Request End Point Parameters

Path Parameter	Name
Associate Object ID (AOID)	Associate ID

Request Header Parameters

Parameter Name	Value	Usage
Accept	application/json;masked=false	To display the unmasked values of Tax ID and Date of Birth .
If-None-Match	true	To display the latest response for Beneficiaries API

Supported OData Query Options

There is no support for OData parameters.

Sequence of Interactions

The following are the steps shown in the above diagram:

1. The consumer application makes a **/benefits/v1/associates/{aoid}/beneficiaries** request to the ADP API endpoint.
2. The ADP API endpoint responds to the consumer application concerning the details of **/benefits/v1/associates/{aoid}/beneficiaries**.

Supported Event Notifications

Your application should subscribe to and process the following event change notifications to synchronize data in the event of a data change in the ADP system. The changes described in the following table trigger event notification messages for the Beneficiaries API.

	Changes that Trigger a Notification	Application Scope	eventNameCode Value
Add a Beneficiary Person	/benefits/benefitsManagement/benefitsElectionManagement/beneficiaryManagement/beneficiary.add.eventNotify.subscribe	created	beneficiaries-event-notification-add-beneficiary-response.json
Add a Beneficiary Organization	/benefits/benefitsManagement/benefitsElectionManagement/beneficiaryManagement/beneficiary.add.eventNotify.subscribe	created	beneficiaries-event-notification-add-beneficiaryOrganization-response.json
Remove a Beneficiary Person	/benefits/benefitsManagement/benefitsElectionManagement/beneficiaryManagement/beneficiary.remove.eventNotify.subscribe	removed	beneficiaries-event-notification-remove-beneficiary-response.json
Remove a Beneficiary Organization	/benefits/benefitsManagement/benefitsElectionManagement/beneficiaryManagement/beneficiary.remove.eventNotify.subscribe	removed	beneficiaries-event-notification-remove-beneficiaryOrganization-response.json
Change in the status of the Beneficiary Person Active to InActive	/benefits/benefitsManagement/benefitsElectionManagement/beneficiaryManagement/beneficiary.change.eventNotify.subscribe	InActive	beneficiaries-event-notification-beneficiary-statusChange-ActiveToInactive-response.json
Change in the status of the Beneficiary Organization Active to InActive	/benefits/benefitsManagement/benefitsElectionManagement/beneficiaryManagement/beneficiary.change.eventNotify.subscribe	InActive	beneficiaries-event-notification-beneficiaryOrganization-statusChange-ActiveToInactive-response.json
Change in the status of the Beneficiary Person	/benefits/benefitsManagement/benefitsElectionManagement/beneficiaryManag	Active	beneficiaries-event-notification-beneficiary-statusChange-InActiveToActive-response.json

InActive to Active	ement/beneficiary.change.eventNotify.subscribe		
Change in the status of the Beneficiary Organization InActive/Active	/benefits/benefitsManagement/benefitsElectionManagement/beneficiaryManagement/beneficiary.change.eventNotify.subscribe	Active	beneficiaries-event-notification-beneficiaryOrganization-statusChange-InActiveToActive-response.json
After the beneficiary is created and the user edits the information for the fields in the following table, an event notification will be triggered. See the following table for information.	/benefits/benefitsManagement/benefitsElectionManagement/beneficiaryManagement/beneficiary.change.eventNotify.subscribe	updated	beneficiaries-event-notification-beneficiary-fieldChange-response.json

The following table shows the list of fields from the **Beneficiary Organization** details section that, if changed, will trigger an event notification.

Schema Location	Field Name	Notes
/events	Not Displayed	
/events/data	Not Displayed	
/events/data/eventContext	Not Displayed	
/events/data/eventContext/contextExpressionID	Not Displayed	
/events/data/eventContext/worker	Not Displayed	
/events/data/eventContext/worker/associateOID	Not Displayed	
/events/data/transform	Not Displayed	
/events/data/transform/beneficiary	Not Displayed	
/events/data/transform/beneficiary/beneficiaryOrganization	Not Displayed	
/events/data/transform/beneficiary/beneficiaryOrganization/organizationOID	Not Displayed	
/events/data/transform/beneficiary/beneficiaryOrganization/organizationOID/governmentIDs	Not Displayed	

/events/data/transform/beneficiary/beneficiaryOrganization/organizationOID/governmentIDs/idValue	National ID	
/events/data/transform/beneficiary/beneficiaryOrganization/typeCode	Not Displayed	
/events/data/transform/beneficiary/beneficiaryOrganization/typeCode/codeValue	Organization Type	
/events/data/transform/beneficiary/beneficiaryOrganization/typeCode/shortName	Organization Type	
/events/data/transform/beneficiary/beneficiaryOrganization/typeCode/longName	Organization Type	
/events/data/transform/beneficiary/beneficiaryOrganization/legalName	Organization Name	
/events/data/transform/beneficiary/beneficiaryOrganization/legalAddress	Not Displayed	
/events/data/transform/beneficiary/beneficiaryOrganization/legalAddress/lineOne	Address Line 1	
/events/data/transform/beneficiary/beneficiaryOrganization/legalAddress/lineTwo	Address Line 2	
/events/data/transform/beneficiary/beneficiaryOrganization/legalAddress/lineThree	Address Line 3	
/events/data/transform/beneficiary/beneficiaryOrganization/legalAddress/cityName	City	
/events/data/transform/beneficiary/beneficiaryOrganization/legalAddress/countrySubdivisionLevel1	Not Displayed	

<p>/events/data/transform/beneficiary/beneficiaryOrganization/legalAddress/countrySubdivisionLevel/subdivisionType</p>	<p>Not Displayed</p>	
<p>/events/data/transform/beneficiary/beneficiaryOrganization/legalAddress/countrySubdivisionLevel/codeValue</p>	<p>State / Territory</p>	
<p>/events/data/transform/beneficiary/beneficiaryOrganization/legalAddress/countrySubdivisionLevel/shortName</p>	<p>State / Territory</p>	
<p>/events/data/transform/beneficiary/beneficiaryOrganization/legalAddress/countrySubdivisionLevel/longName</p>	<p>State / Territory</p>	
<p>/events/data/transform/beneficiary/beneficiaryOrganization/legalAddress/countryCode</p>	<p>Country</p>	
<p>/events/data/transform/beneficiary/beneficiaryOrganization/legalAddress/postalCode</p>	<p>Zip Code</p>	
<p>/events/data/transform/beneficiary/beneficiaryOrganization/legalAddress/countrySubdivisionLevel2</p>	<p>Not Displayed</p>	
<p>/events/data/transform/beneficiary/beneficiaryOrganization/legalAddress/countrySubdivisionLevel2/subdivisionType</p>	<p>Not Displayed</p>	
<p>/events/data/transform/beneficiary/beneficiaryOrganization/legalAddress/countrySubdivisionLevel2/codeValue</p>	<p>County</p>	
<p>/events/data/transform/beneficiary/beneficiaryOrganization/legal</p>	<p>County</p>	

Address/countrySubdivisionLevel2/shortName		
/events/data/transform/beneficiary/beneficiaryOrganization/legalAddress/countrySubdivisionLevel2/longName	County	
/events/data/transform/beneficiary/beneficiaryOrganization/contactCommunication	Not Displayed	
/events/data/transform/beneficiary/beneficiaryOrganization/contactCommunication/faxes	Not Displayed	
/events/data/transform/beneficiary/beneficiaryOrganization/contactCommunication/pagers	Not Displayed	
/events/data/transform/beneficiary/beneficiaryOrganization/contactCommunication/internetAddresses	Not Displayed	
/events/data/transform/beneficiary/beneficiaryOrganization/contactCommunication/instantMessages	Not Displayed	
/events/data/transform/beneficiary/beneficiaryOrganization/contactCommunication/landlines	Not Displayed	
/events/data/transform/beneficiary/beneficiaryOrganization/contactCommunication/landlines/countryDialing	Home Phone	
/events/data/transform/beneficiary/beneficiaryOrganization/contactCommunication/landlines/areaDialing	Home Phone	
/events/data/transform/beneficiary/beneficiaryOrganization/contactCommunication/landlines/dialNumber	Home Phone	

/events/data/transform/beneficiary/beneficiaryOrganization/contactCommunication/landlines/access	Home Phone	
/events/data/transform/beneficiary/beneficiaryOrganization/contactCommunication/mobiles	Not Displayed	
/events/data/transform/beneficiary/beneficiaryOrganization/contactCommunication/mobiles/countryDialing	Personal Mobile	
/events/data/transform/beneficiary/beneficiaryOrganization/contactCommunication/mobiles/areaDialing	Personal Mobile	
/events/data/transform/beneficiary/beneficiaryOrganization/contactCommunication/mobiles/dialNumber	Personal Mobile	
/events/data/transform/beneficiary/beneficiaryOrganization/contactCommunication/mobiles/access	Personal Mobile	
/events/data/transform/beneficiary/beneficiaryOrganization/contactCommunication/emails	Not Displayed	
/events/data/transform/beneficiary/beneficiaryOrganization/contactCommunication/emails/emailUri	Email Address	
/events/data/transform/beneficiary/beneficiaryOrganization/contactCommunication/socialNetworks	Not Displayed	
/events/data/transform/eventReasonCode	Not Displayed	
/events/data/transform/eventReasonCode/codeValue	Not Displayed	
/events/data/transform/eventStatusCode	Not Displayed	

/events/data/transform/eventStatusCode/codeValue	Not Displayed	
/events/data/output	Not Displayed	
/events/data/output/beneficiary	Not Displayed	
/events/data/output/beneficiary/beneficiaryID	Not Displayed	
/events/links	Not Displayed	

The following table shows the list of fields from **Beneficiary Person** details section that, if changed, will trigger an event notification.

Schema Location	Field Name	Notes
/events	Not Displayed	
/events/data	Not Displayed	
/events/data/eventContext	Not Displayed	
/events/data/eventContext/contextExpressionID	Not Displayed	
/events/data/eventContext/worker	Not Displayed	
/events/data/eventContext/worker/associateOID	Not Displayed	
/events/data/transform	Not Displayed	
/events/data/transform/beneficiary	Not Displayed	
/events/data/transform/beneficiary/beneficiaryPerson	Not Displayed	
/events/data/transform/beneficiary/beneficiaryPerson/associateOID	Not Displayed	
/events/data/transform/beneficiary/beneficiaryPerson/genderCode	Not Displayed	
/events/data/transform/beneficiary/beneficiaryPerson/genderCode/codeValue	Gender	

/events/data/transform/beneficiary/beneficiaryPerson/genderCode/shortName	Gender	
/events/data/transform/beneficiary/beneficiaryPerson/genderCode/longName	Gender	
/events/data/transform/beneficiary/beneficiaryPerson/dependentID	Not Displayed	This is a bug. It should be Beneficiary ID . See DE600202: Beneficiary has Dependent ID in the Notification Response in Chapter 3 - Known Issues and Limitations for more information.
/events/data/transform/beneficiary/beneficiaryPerson/birthDate	Birth Date	
/events/data/transform/beneficiary/beneficiaryPerson/relationshipTypeCode	Relationship/ How Do You Know This Person	
/events/data/transform/beneficiary/beneficiaryPerson/relationshipTypeCode/codeValue	Relationship/ How Do You Know This Person	
/events/data/transform/beneficiary/beneficiaryPerson/relationshipTypeCode/shortName	Relationship/ How Do You Know This Person	
/events/data/transform/beneficiary/beneficiaryPerson/relationshipTypeCode/longName	Relationship/ How Do You Know This Person	
/events/data/transform/beneficiary/beneficiaryPerson/governmentIDs	Not Displayed	
/events/data/transform/beneficiary/beneficiaryPerson/governmentIDs/itemID	Not Displayed	
/events/data/transform/beneficiary/beneficiaryPerson/governmentIDs/idValue	Tax ID	
/events/data/transform/beneficiary/beneficiaryPerson/governmentIDs/nameCode	Not Displayed	
/events/data/transform/beneficiary/beneficiaryPerson/governmentIDType	Tax ID Type	

ntIDs/nameCode/codeValue		
/events/data/transform/beneficiary/beneficiaryPerson/governmentIDs/nameCode/shortName	Tax ID Type	
/events/data/transform/beneficiary/beneficiaryPerson/governmentIDs/countryCode	National Identifier	
/events/data/transform/beneficiary/beneficiaryPerson/governmentIDs/statusCode	Not Displayed	
/events/data/transform/beneficiary/beneficiaryPerson/governmentIDs/codeValue	Applied For	This is a checkbox when the Tax ID Type selected is SSN .
/events/data/transform/beneficiary/beneficiaryPerson/governmentIDs/shortName	Applied For	
/events/data/transform/beneficiary/beneficiaryPerson/governmentIDs/longName	Applied For	
/events/data/transform/beneficiary/beneficiaryPerson/legalName	Not Displayed	
/events/data/transform/beneficiary/beneficiaryPerson/legalName/preferredSalutations	Not Displayed	
/events/data/transform/beneficiary/beneficiaryPerson/legalName/generationAffixCode	Not Displayed	
/events/data/transform/beneficiary/beneficiaryPerson/legalName/generationAffixCode/codeValue	Generation Suffix	
/events/data/transform/beneficiary/beneficiaryPerson/legalName/generationAffixCode/shortName	Generation Suffix	
/events/data/transform/beneficiary/beneficiaryPerson/legalName/generationAffixCode/shortName	Generation Suffix	

<p>aryPerson/legalName/ generationAffixCode/ longName</p>		
<p>/events/data/transfor m/beneficiary/ beneficiaryPerson/leg alName/titleAffixCode s</p>	Not Displayed	
<p>/events/data/transfor m/beneficiary/benefic iaryPerson/legalName/ titleAffixCodes/affixC ode</p>	Professional Suffix	
<p>/events/data/transfor m/beneficiary/benefic iaryPerson/legalName/ titleAffixCodes/affixC ode/codeValue</p>	Professional Suffix	
<p>/events/data/transfor m/beneficiary/benefic iaryPerson/legalName/ titleAffixCodes/affixC ode/longName</p>	Professional Suffix	
<p>/events/data/transfor m/beneficiary/ beneficiaryPerson/leg alName/givenName</p>	First Name	
<p>/events/data/transfor m/beneficiary/ beneficiaryPerson/leg alName/middleName</p>	Middle Name	
<p>/events/data/transfor m/beneficiary/ beneficiaryPerson/leg alName/familyName1</p>	Last Name	
<p>/events/data/transfor m/beneficiary/ beneficiaryPerson/leg alAddress</p>	Not Displayed	
<p>/events/data/transfor m/beneficiary/ beneficiaryPerson/leg alAddress/lineOne</p>	Address Line 1	
<p>/events/data/transfor m/beneficiary/ beneficiaryPerson/leg alAddress/lineTwo</p>	Address Line 2	
<p>/events/data/transfor m/beneficiary/ beneficiaryPerson/leg alAddress/lineThree</p>	Address Line 3	
<p>/events/data/transfor m/beneficiary/ beneficiaryPerson/leg alAddress/cityName</p>	City	

/events/data/transform/beneficiary/beneficiaryPerson/legalAddress/countrySubdivisionLevel1	Not Displayed	
/events/data/transform/beneficiary/beneficiaryPerson/legalAddress/countrySubdivisionLevel1/subdivisionType	Not Displayed	
/events/data/transform/beneficiary/beneficiaryPerson/legalAddress/countrySubdivisionLevel1/codeValue	State/ Territory	
/events/data/transform/beneficiary/beneficiaryPerson/legalAddress/countrySubdivisionLevel1/shortName	State/ Territory	
/events/data/transform/beneficiary/beneficiaryPerson/legalAddress/countrySubdivisionLevel1/longName	State/ Territory	
/events/data/transform/beneficiary/beneficiaryPerson/legalAddress/countryCode	Country	
/events/data/transform/beneficiary/beneficiaryPerson/legalAddress/postalCode	Zip Code	
/events/data/transform/beneficiary/beneficiaryPerson/legalAddress/countrySubdivisionLevel2	Not Displayed	
/events/data/transform/beneficiary/beneficiaryPerson/legalAddress/countrySubdivisionLevel2/subdivisionType	Not Displayed	
/events/data/transform/beneficiary/beneficiaryPerson/legalAddress/countrySubdivisionLevel2/codeValue	County	
/events/data/transform/beneficiary/beneficiaryPerson/legalAddress/countrySubdivisionLevel2/longName	County	

<p>aryPerson/legalAddress/countrySubdivisionLevel2/shortName</p>		
<p>/events/data/transform/beneficiary/beneficiaryPerson/legalAddress/countrySubdivisionLevel2/longName</p>	<p>County</p>	
<p>/events/data/transform/beneficiary/beneficiaryPerson/communication</p>	<p>Not Displayed</p>	
<p>/events/data/transform/beneficiary/beneficiaryPerson/communication/faxes</p>	<p>Not Displayed</p>	
<p>/events/data/transform/beneficiary/beneficiaryPerson/communication/pagers</p>	<p>Not Displayed</p>	
<p>/events/data/transform/beneficiary/beneficiaryPerson/communication/internetAddresses</p>	<p>Not Displayed</p>	
<p>/events/data/transform/beneficiary/beneficiaryOrganization/contactCommunication/instantMessages</p>	<p>Not Displayed</p>	
<p>/events/data/transform/beneficiary/beneficiaryPerson/communication/landlines</p>	<p>Not Displayed</p>	
<p>/events/data/transform/beneficiary/beneficiaryPerson/communication/landlines/countryDialing</p>	<p>Home Phone</p>	
<p>/events/data/transform/beneficiary/beneficiaryPerson/communication/landlines/areaDialing</p>	<p>Home Phone</p>	
<p>/events/data/transform/beneficiary/beneficiaryPerson/communication/landlines/dialNumber</p>	<p>Home Phone</p>	
<p>/events/data/transform/beneficiary/beneficiaryPerson/communication/landlines/access</p>	<p>Home Phone</p>	
<p>/events/data/transform/beneficiary/</p>	<p>Not Displayed</p>	

beneficiaryPerson/communication/mobiles		
/events/data/transform/beneficiary/beneficiaryPerson/communication/mobiles/countryDialing	Personal Mobile	
/events/data/transform/beneficiary/beneficiaryPerson/communication/mobiles/areaDialing	Personal Mobile	
/events/data/transform/beneficiary/beneficiaryPerson/communication/mobiles/dialNumber	Personal Mobile	
/events/data/transform/beneficiary/beneficiaryPerson/communication/mobiles/access	Personal Mobile	
/events/data/transform/beneficiary/beneficiaryPerson/communication/emails	Not Displayed	
/events/data/transform/beneficiary/beneficiaryPerson/communication/emails/emailUri	Email Address	
/events/data/transform/beneficiary/beneficiaryPerson/communication/socialNetworks	Not Displayed	
/events/data/transform/eventReasonCode	Not Displayed	
/events/data/transform/eventReasonCode/codeValue	Not Displayed	
/events/data/transform/eventStatusCode	Not Displayed	
/events/data/transform/eventStatusCode/codeValue	Not Displayed	
/events/links	Not Displayed	

Data Dictionary

The fields listed in the following table can be found in ADP Workforce Now by navigating to **People > Benefits > Dependents & Beneficiaries**.

Schema Location	Field Name	Is Required (Y/N)	Note
/links	Not Displayed		
/links/href	Not Displayed	N	
/links/rel	Not Displayed	N	
/links/mediaType	Not Displayed	N	
/links/encType	Not Displayed	N	
/links/method	Not Displayed	N	
/links/href	Not Displayed	N	
/links/rel	Not Displayed	N	
/links/targetSchema	Not Displayed	N	
/links/mediaType	Not Displayed	N	
/links/encType	Not Displayed	N	
/links/method	Not Displayed	N	
/beneficiaries	Not Displayed	N	
/beneficiaries/beneficiaryID	Not Displayed	N	
/beneficiaries/beneficiaryOrganization	Not Displayed	N	
/beneficiaries/beneficiaryOrganization/governmentIDs	Tax ID	N	
/beneficiaries/beneficiaryOrganization/governmentIDs/idValue	Tax ID	N	
/beneficiaries/beneficiaryOrganization/governmentIDs/nameCode	Not Displayed		
/beneficiaries/beneficiaryOrganization/governmentIDs/nameCode/codeValue	Not Displayed	N	It will always be National Identifier for Beneficiary Organization.
/beneficiaries/beneficiaryOrganization/governmentIDs/nameCode/shortName	Not Displayed	N	It will always be National Identifier for Beneficiary Organization.
/beneficiaries/beneficiaryOrganization/governmentIDs/name	Not Displayed	N	It will always be National Identifier for Beneficiary Organization.

Code/longName			
/beneficiaries/beneficiaryOrganization/typeCode/	Not Displayed	N	
/beneficiaries/beneficiaryOrganization/typeCode/codeValue	Relationship	Y	
/beneficiaries/beneficiaryOrganization/typeCode/shortName	Relationship	Y	
/beneficiaries/beneficiaryOrganization/typeCode/longName	Relationship	Y	
/beneficiaries/beneficiaryOrganization/legalName	Organization Name	Y	
/beneficiaries/beneficiaryOrganization/legalAddress	Beneficiary Address	N	
/beneficiaries/beneficiaryOrganization/legalAddress/lineOne	Address Line 1	N	
/beneficiaries/beneficiaryOrganization/legalAddress/lineTwo	Address Line 2	N	
/beneficiaries/beneficiaryOrganization/legalAddress/lineThree	Address Line 3	N	
/beneficiaries/beneficiaryOrganization/legalAddress/cityName	City	Y	
/beneficiaries/beneficiaryOrganization/legalAddress/countrySubdivisionLevel1	State/Territory	N	
/beneficiaries/beneficiaryOrganization/legalAddress/countrySubdivisionLevel1/codeValue	State/Territory	N	The subdivisionType is state. For example, FL-Florida is a state as displayed in the State / Territory pick list. FL will be the shortName and Florida will be longName .
/beneficiaries/beneficiaryOrganization/legalAddress/countrySubdivisionLevel1/shortName	State/Territory	N	
/beneficiaries/beneficiaryOrganization/legalAddress/countrySubdi	State/Territory	N	

visionLevel1/longName			
/beneficiaries/beneficiaryOrganization/legalAddress/countrySubdivisionLevel1/subdivisionType	State/Territory	N	The subdivisionType is state.
/beneficiaries/beneficiaryOrganization/legalAddress/countrySubdivisionLevel2	County	N	
/beneficiaries/beneficiaryOrganization/legalAddress/countrySubdivisionLevel2/codeValue	County	N	
/beneficiaries/beneficiaryOrganization/legalAddress/countrySubdivisionLevel2/shortName	County	N	
/beneficiaries/beneficiaryOrganization/legalAddress/countrySubdivisionLevel2/longName	County	N	
/beneficiaries/beneficiaryOrganization/legalAddress/countrySubdivisionLevel2/subdivisionType	County	N	The subdivisionType is county.
/beneficiaries/beneficiaryOrganization/legalAddress/countryCode	County	N	
/beneficiaries/beneficiaryOrganization/legalAddress/postalCode	Postal Code	Y	
/beneficiaries/beneficiaryOrganization/legalAddress/sameAsAddressIndicator	Not Displayed	N	The indicator is always false since there is no check box to use Employee Address for Beneficiary Organization.
/beneficiaries/beneficiaryOrganization/contactCommunication	Not Displayed	N	
/beneficiaries/beneficiaryOrganization/contactCommunication/landlines	Phone	N	
/beneficiaries/beneficiaryOrganization/contactCommunication/landlines/nameCode	Phone	N	

/beneficiaries/beneficiaryOrganization/contactCommunication/landlines/nameCode/codeValue	Phone	N	This is always Primary Contact number.
/beneficiaries/beneficiaryOrganization/contactCommunication/landlines/countryDialing	Phone	N	The countryDialing and access will be by default of 1. For numbers outside of the US and Canada, it will be populated as sent from the UI.
/beneficiaries/beneficiaryOrganization/contactCommunication/landlines/areaDialing	Phone	N	
/beneficiaries/beneficiaryOrganization/contactCommunication/landlines/dialNumber	Phone	N	
/beneficiaries/beneficiaryOrganization/contactCommunication/landlines/access	Phone	N	
/beneficiaries/beneficiaryOrganization/contactCommunication/landlines/formattedNumber	Phone	N	
/beneficiaries/beneficiaryOrganization/contactCommunication/mobiles	Personal Cell	N	
/beneficiaries/beneficiaryOrganization/contactCommunication/mobiles/countryDialing	Personal Cell	N	The countryDialing and access will be by default of 1. For numbers outside of the US and Canada, it will be populated as sent from the UI.
/beneficiaries/beneficiaryOrganization/contactCommunication/mobiles/nameCode	Personal Cell	N	
/beneficiaries/beneficiaryOrganization/contactCommunication/mobiles/nameCode/codeValue	Personal Cell	N	This is always the Mobile Number.
/beneficiaries/beneficiaryOrganization/contactCommunication/mobiles/countryDialing	Personal Cell	N	
/beneficiaries/beneficiaryOrganization/contactCommunication/mobiles/areaDialing	Personal Cell	N	
/beneficiaries/benefic	Personal Cell	N	

aryOrganization/contactCommunication/mobiles/dialNumber			
/beneficiaries/beneficiaryOrganization/contactCommunication/mobiles/access	Personal Cell	N	
/beneficiaries/beneficiaryOrganization/contactCommunication/mobiles/formattedNumber	Personal Cell	N	
/beneficiaries/beneficiaryOrganization/contactCommunication/emails	Email	N	
/beneficiaries/beneficiaryOrganization/contactCommunication/emails/nameCode	Email	N	
/beneficiaries/beneficiaryOrganization/contactCommunication/emails/nameCode/codeValue	Email	N	This is always eMail address.
/beneficiaries/beneficiaryOrganization/contactCommunication/emails/emailUri	Email	N	
/beneficiaries/links	Not Displayed	N	
/beneficiaries/links/href	Not Displayed	N	
/beneficiaries/links/rel	Not Displayed	N	
/beneficiaries/links/mediaType	Not Displayed	N	
/beneficiaries/links/encType	Not Displayed	N	
/beneficiaries/links/method	Not Displayed	N	
/beneficiaries/links	Not Displayed	N	
/beneficiaries/links/href	Not Displayed	N	
/beneficiaries/links/rel	Not Displayed	N	
/beneficiaries/links/targetSchema	Not Displayed	N	
/beneficiaries/links/m	Not Displayed	N	

ediaType			
/beneficiaries/links/encType	Not Displayed	N	
/beneficiaries/links/method	Not Displayed	N	
/beneficiaries/actions	Not Displayed	N	
/beneficiaries/actions/links	Not Displayed	N	
/beneficiaries/actions/links/href	Not Displayed	N	
/beneficiaries/actions/links/rel	Not Displayed	N	
/beneficiaries/actions/links/targetSchema	Not Displayed	N	
/beneficiaries/actions/links/mediaType	Not Displayed	N	
/beneficiaries/actions/links/encType	Not Displayed	N	
/beneficiaries/actions/links/method	Not Displayed	N	
/beneficiaries/actions/operationID	Not Displayed	N	
/beneficiaries/beneficiaryPerson/governmentIDs	Not Displayed	N	
/beneficiaries/beneficiaryPerson/governmentIDs/idValue	Tax ID	N	This field needs to be validated for masking. Check Full Masking and Partial Masking for Marketplace Data Connector Profile in Chapter 4: Appendix for the settings.
/beneficiaries/beneficiaryPerson/governmentIDs/nameCode	Not Displayed	N	
/beneficiaries/beneficiaryPerson/governmentIDs/nameCode/codeValue	Tax ID Type		Beneficiary Person is not mandatory. Beneficiary/Dependent is mandatory. Valid Values are as follows: <ul style="list-style-type: none"> • Applied For • SSN-1:0001 • EIN-1:0002 • ITIN-1:0003 • National Identifier-1:0005 • SIN-1:0006
/beneficiaries/beneficiaryPerson/governmentIDs/nameCode/codeValue	Tax ID Type	N	Beneficiary Person is not mandatory. Beneficiary/Dependent is mandatory.

ntIDs/nameCode/shortName			
/beneficiaries/beneficiaryPerson/governmentIDs/nameCode/longName	Tax ID Type	N	Beneficiary Person is not mandatory. Beneficiary/Dependent is mandatory.
/beneficiaries/beneficiaryPerson/governmentIDs/countryCode	National Identifier	N	By default, the value is US for all Tax ID Types other than National Identifier. For Tax Id Type-National Identifier , the pick list is available to select countryCode in the UI.
/beneficiaries/beneficiaryPerson/legalName	Not Displayed	N	
/beneficiaries/beneficiaryPerson/legalName/givenName	First Name	Y	
/beneficiaries/beneficiaryPerson/legalName/middleName	Middle Name	N	
/beneficiaries/beneficiaryPerson/legalName/familyName1	Last Name	Y	
/beneficiaries/beneficiaryPerson/legalName/generationAffixCode	Generation Suffix	N	
/beneficiaries/beneficiaryPerson/legalName/generationAffixCode/codeValue	Generation Suffix	N	
/beneficiaries/beneficiaryPerson/legalName/generationAffixCode/shortName	Generation Suffix	N	
/beneficiaries/beneficiaryPerson/legalName/generationAffixCode/longName	Generation Suffix	N	
/beneficiaries/beneficiaryPerson/legalName/titleAffixCodes	Professional Suffix	N	
/beneficiaries/beneficiaryPerson/legalName/titleAffixCodes/affixCode	Professional Suffix	N	
/beneficiaries/beneficiaryPerson/legalName/titleAffixCodes/affixCode/codeValue	Professional Suffix	N	
/beneficiaries/beneficiaryPerson/legalName/titleAffixCodes/affixC	Professional Suffix	N	

ode/shortName			
/beneficiaries/beneficiaryPerson/legalName/titleAffixCodes/affixCode/longName	Professional Suffix	N	
/beneficiaries/beneficiaryPerson/birthDateString	Birth Date	Y/N	Beneficiary Person is not mandatory. Beneficiary/Dependent is mandatory. This field needs to be validated for masking. Check Full Masking and Partial Masking for Marketplace Data Connector Profile in Chapter 4: Appendix for the settings.
/beneficiaries/beneficiaryPerson/legalAddress/	Beneficiary Address	N	
/beneficiaries/beneficiaryPerson/legalAddress/lineOne	Address Line 1	Y	Mandatory if Use Employee Address is not checked.
/beneficiaries/beneficiaryPerson/legalAddress/lineTwo	Address Line 2	N	
/beneficiaries/beneficiaryPerson/legalAddress/lineThree	Address Line 3	N	
/beneficiaries/beneficiaryPerson/legalAddress/cityName	City	Y	Mandatory if Use Employee Address is not checked.
/beneficiaries/beneficiaryPerson/legalAddresses/countrySubdivisionLevel1	State/Territory	Y	
/beneficiaries/beneficiaryPerson/legalAddresses/countrySubdivisionLevel1/codeValue	State/Territory	Y	
/beneficiaries/beneficiaryPerson/legalAddresses/countrySubdivisionLevel1/shortName	State/Territory	Y	
/beneficiaries/beneficiaryPerson/legalAddresses/countrySubdivisionLevel1/longName	State/Territory	Y	
/beneficiaries/beneficiaryPerson/legalAddresses/countrySubdivisionLevel1/subdivisionType	State/Territory	Y	The subdivisionType is state. For example, FL-Florida is a state as displayed in the State / Territory pick list. FL will be the shortName and Florida will be longName .
/beneficiaries/beneficiaryPerson/legalAddress	County	N	

ss/countrySubdivisionLevel2/			
/beneficiaries/beneficiaryPerson/legalAddress/countrySubdivisionLevel2/codeValue	County	N	
/beneficiaries/beneficiaryPerson/legalAddress/countrySubdivisionLevel2/shortName	County	N	
/beneficiaries/beneficiaryPerson/legalAddress/countrySubdivisionLevel2/longName	County	N	
/beneficiaries/beneficiaryPerson/legalAddress/countrySubdivisionLevel2/subdivisionType	County	N	The subdivisionType is county.
/beneficiaries/beneficiaryPerson/legalAddress/countryCode	Country	Y	Mandatory, if Use Employee Address is not selected.
/beneficiaries/beneficiaryPerson/legalAddress/postalCode	Zip Code	Y	Mandatory, if Use Employee Address is not selected.
/beneficiaries/beneficiaryPerson/legalAddress/sameAsAddressIndicator	Use Employee Address	N	The valid values are true and false. If " Use Employee Address " is checked- true , this indicator is false .
/beneficiaries/beneficiaryPerson/communication	Not Displayed	N	
/beneficiaries/beneficiaryPerson/communication/landlines	Home Phone	N	
/beneficiaries/beneficiaryPerson/communication/landlines/nameCode	Home Phone	N	
/beneficiaries/beneficiaryPerson/communication/landlines/nameCode/codeValue	Home Phone	N	This is always Primary Contact Number .
/beneficiaries/beneficiaryPerson/communication/landlines/countryDialing	Home Phone	N	The countryDialing and access will be by default of 1. For numbers outside of the US and Canada, it will be populated as sent from the UI.
/beneficiaries/beneficiaryPerson/communication/landlines/areaDialing	Home Phone	N	

/beneficiaries/beneficiaryPerson/communication/landlines/dialNumber	Home Phone	N	
/beneficiaries/beneficiaryPerson/communication/landlines/access	Home Phone	N	
/beneficiaries/beneficiaryPerson/communication/landlines/formattedNumber	Home Phone	N	
/beneficiaries/beneficiaryPerson/communication/mobiles	Personal Cell	N	
/beneficiaries/beneficiaryPerson/communication/mobiles/nameCode	Personal Cell	N	
/beneficiaries/beneficiaryPerson/communication/mobiles/nameCode/codeValue	Personal Cell	N	This is always Primary Contact Number .
/beneficiaries/beneficiaryPerson/communication/mobiles/countryDialing	Personal Cell	N	The countryDialing and access will be by default of 1. For numbers outside of the US and Canada, it will be populated as sent from UI.
/beneficiaries/beneficiaryPerson/communication/mobiles/areaDialing	Personal Cell	N	
/beneficiaries/beneficiaryPerson/communication/mobiles/dialNumber	Personal Cell	N	
/beneficiaries/beneficiaryPerson/communication/mobiles/access	Personal Cell	N	
/beneficiaries/beneficiaryPerson/communication/mobiles/formattedNumber	Personal Cell	N	
/beneficiaries/beneficiaryPerson/communication/emails	Email	N	
/beneficiaries/beneficiaryPerson/communication/emails/nameCode	Email	N	
/beneficiaries/beneficiaryPerson/communication/emails/nameCode/codeValue	Email	N	

/beneficiaries/beneficiaryPerson/communication/emails/emailUri	Email	N	
/beneficiaries/beneficiaryPerson/associateOID	Not Displayed	N	
/beneficiaries/beneficiaryPerson/dependentID	Not Displayed	N	
/beneficiaries/beneficiaryPerson/relationshipTypeCode/	Relationship	Y	
/beneficiaries/beneficiaryPerson/relationshipTypeCode/codeValue	Relationship	Y	The Beneficiary Person: codeValue will be the same as shortName or longName as the field in UI is a text box. Beneficiaries / Dependents: codeValue is number as the field is a pick list in the UI.
/beneficiaries/beneficiaryPerson/relationshipTypeCode/shortName	Relationship	Y	
/beneficiaries/beneficiaryPerson/relationshipTypeCode/longName	Relationship	Y	
/beneficiaries/beneficiaryPerson/genderCode/	Gender	Y/N	
/beneficiaries/beneficiaryPerson/genderCode/codeValue	Gender	Y/N	
/beneficiaries/beneficiaryPerson/genderCode/shortName	Gender	Y/N	
/beneficiaries/beneficiaryPerson/genderCode/longName	Gender	Y/N	Beneficiary Person is not mandatory. Beneficiary/Dependent is mandatory.
/beneficiaries/links	Not Displayed	N	
/beneficiaries/links/href	Not Displayed	N	
/beneficiaries/links/rel	Not Displayed	N	
/beneficiaries/links/mediaType	Not Displayed	N	
/beneficiaries/links/encType	Not Displayed	N	
/beneficiaries/links/m	Not Displayed	N	

ethod			
/beneficiaries/links	Not Displayed	N	
/beneficiaries/links/href	Not Displayed	N	
/beneficiaries/links/rel	Not Displayed	N	
/beneficiaries/links/targetSchema	Not Displayed	N	
/beneficiaries/links/mediaType	Not Displayed	N	
/beneficiaries/links/encType	Not Displayed	N	
/beneficiaries/links/method	Not Displayed	N	
/beneficiaries/actions	Not Displayed	N	
/beneficiaries/actions/links	Not Displayed	N	
/beneficiaries/actions/links/href	Not Displayed	N	
/beneficiaries/actions/links/rel	Not Displayed	N	
/beneficiaries/actions/links/targetSchema	Not Displayed	N	
/beneficiaries/actions/links/mediaType	Not Displayed	N	
/beneficiaries/actions/links/encType	Not Displayed	N	
/beneficiaries/actions/links/method	Not Displayed	N	
/beneficiaries/actions/operationID	Not Displayed	N	
/beneficiaries/eligibilityPeriod	Eligibility	N	
/beneficiaries/eligibilityPeriod/endDateTime	Eligibility End Date	N	Beneficiary Organization and Beneficiary Person - Eligibility End Date is the inactive date. This field will be populated in the UI after the beneficiary is made inactive. Records cannot be imported with an Eligibility End Date marked as Inactive(Restricted from UI) . Beneficiary /Dependents - Eligibility End Date is a UI field and rendered as

			set in UI. Records cannot be imported with an Eligibility End Date marked as Inactive(Restricted from UI) .
/beneficiaries/eligibilityPeriod/startDateTime	Eligibility Start Date	N	<p>For Beneficiary Organization and Beneficiary Person : Eligibility Start Date won't display in the UI.</p> <p>Beneficiary /Dependents: Eligibility Start Date is a UI field and is rendered as it is set in the UI. Records cannot be imported with Eligibility Start Date that are marked as Inactive(Restricted from UI).</p>
/beneficiaries/activeIndicator	Status	Y	<p>Valid Values:</p> <ul style="list-style-type: none"> • Active • Inactive for active and inactive beneficiaries consecutively <p>Common for all the three types of beneficiaries.</p>

Responses

You may encounter exceptions outside your common success scenarios. You must account for these exceptions during your initial development.

For more information, see [API Common Exceptions and Tips for Handling](#).

Beneficiaries

Response Code	Condition	messageTxt	Tips to Handle
200 OK	<p>If needed, add the following for an associate by navigating to People > Benefits > Dependents & Beneficiaries:</p> <ul style="list-style-type: none"> • Beneficiary Person • Beneficiary/ Dependent • Beneficiary Organization <p>Then, receive Active and Inactive information in the response for the previous list.</p>	NA	<p>If you add:</p> <ul style="list-style-type: none"> Beneficiary Person – You receive the Beneficiary Person in the response. Beneficiary/Dependent – You receive Beneficiary/ Dependent in the response. Beneficiary Organization – You will receive Beneficiary Organization in the response. <p>The response contains information for both Active and Inactive Beneficiary Person/ Dependent/ Beneficiary Organization.</p>
200 OK	<p>Specifies Full Masking of Tax ID and Date of Birth when the practitioner is set with full masking settings.</p> <p>See Chapter 4 - Appendix for more information.</p>	NA	
200 OK	<p>Specifies the partial masking of Tax ID and Date of Birth when the</p>	NA	

	<p>practitioner is set with partial masking settings with no reveal and edit permission. See Chapter 4 - Appendix for more information.</p>		
200 OK	<p>Specifies the partial masking of Tax ID and Date of Birth when the practitioner is set with partial masking settings and with reveal and edit permission. See Chapter 4 - Appendix for more information.</p>	NA	Accept: "application/ json;masked=false"
400 Bad Request	<p>Specifies invalid AOID sent in the request.</p>	<pre>"userMessage": {"codeValue": "Illegal Argument error", "messageTxt": "Invalid associate OID : G3588JKQ33NJMMEK"}</pre>	<p>Make sure to provide the correct AOID in the request.</p>