



## Chapter 2

# Retrieving your Partner Token

from How to retrieve Client Credentials of a Subscriber Guide

Published on  
Jun 21, 2021 9:19AM

Last modified  
Feb 21, 2022 3:55PM



## ADP Copyright Information

ADP, the ADP logo, and Always Designing for People are trademarks of ADP, Inc.

Windows is a registered trademark of the Microsoft Corporation.

All other trademarks are the property of their respective owners.

Copyright © 2022 ADP, Inc. ADP Proprietary and Confidential - All Rights Reserved. These materials may not be reproduced in any format without the express written permission of ADP, Inc.

These materials may not be reproduced in any format without the express written permission of ADP, Inc. ADP provides this publication "as is" without warranty of any kind, either expressed or implied, including, but not limited to, the implied warranties of merchantability or fitness for a particular purpose. ADP is not responsible for any technical inaccuracies or typographical errors which may be contained in this publication. Changes are periodically made to the information herein, and such changes will be incorporated in new editions of this publication. ADP may make improvements and/or changes in the product and/or the programmes described in this publication.

Published on  
Jun 21, 2021 9:19AM

Last modified  
Feb 21, 2022 3:55PM



# Chapter Contents


## Chapter 2

**Retrieving your Partner Token**


# Retrieving your Partner Token

## Get an Access token using your partner client id and client secret

1. Your Partner Data Connector Credentials(client id and client secret) can be found by going to the [Developer Self-Service Portal](#)
2. Click on your project



3. Click on **"Development API Credentials" - "Data Connector"** and your Partner client id and client secret will be under **Step One**.



4. You will use that **Client ID** and **Client Secret** to run a **POST** call to the endpoint below:  
<https://accounts.adp.com/auth/oauth/v2/token>

Header	Body	Value
Content-Type		application/x-www-form-urlencoded

	grant_type	client_credentials
Authorization: Basic		This would be your Partner Client ID and Client Secret base 64 encoded.

5. The response from the call will generate an Access Token

```
"access_token": "b378fafc-4167-4f47-b0d1-f2c2a89c0444",
"token_type": "Bearer",
"expires_in": 3600,
"scope": "api"
```