

Chapter 2

Use Case: Retrieving an Employee's Leaves

from Leave Request API Guide for ADP Workforce Now Guide

Published on
Aug 07, 2020 10:32AM

Last modified
May 20, 2022 3:49AM





ADP Copyright Information

ADP, the ADP logo, and Always Designing for People are trademarks of ADP, Inc.

Windows is a registered trademark of the Microsoft Corporation.


All other trademarks are the property of their respective owners.

Copyright © 2022 ADP, Inc. ADP Proprietary and Confidential - All Rights Reserved. These materials may not be reproduced in any format without the express written permission of ADP, Inc.

These materials may not be reproduced in any format without the express written permission of ADP, Inc. ADP provides this publication "as is" without warranty of any kind, either expressed or implied, including, but not limited to, the implied warranties of merchantability or fitness for a particular purpose. ADP is not responsible for any technical inaccuracies or typographical errors which may be contained in this publication. Changes are periodically made to the information herein, and such changes will be incorporated in new editions of this publication. ADP may make improvements and/or changes in the product and/or the programmes described in this publication.

Published on
Aug 07, 2020 10:32AM

Last modified
May 20, 2022 3:49AM



Chapter Contents

Chapter 2

Use Case: Retrieving an Employee's Leaves

Use Case Description

API Usage

Application Scope

Supported Actors

Request Header Parameters

Sequence of Interactions

Data Dictionary

Responses

Chapter 2

Use Case: Retrieving an Employee's Leaves

Use Case Description

This use case is about retrieving an employee's leaves using a GET API.

API Usage

Worker Leaves

Method	Uniform Resource Identifier (URI)	Description
GET	/hr/v2/workers/{aoid}/leaves	This retrieves the list of leaves for an employee.

Application Scope

The canonical URI corresponding to the Leave Request API needs to be added in the Consumer Application Registry (CAR) for the subscription following which a user can access this API and make successful API calls.

The following canonical needs to be added to your application scope to enable this use case:

**/hr/workerInformationManagement/workerManagement/workerLeaveManagement/workerLeave.
read**

Supported Actors

ADP APIs have built-in data entitlement and access control. The response contains data based on the **roleCode** parameter value in an API request. For example, a person could have two roles defined in an ADP application, a Practitioner who manages all employees, and an employee. Your application will use the Practitioner **roleCode** to request the data as the Practitioner and the **roleCode** of the employee.

Request Parameter roleCode Value	Supported (Y/N)?
Practitioner	Y
Employee	N
Manager	N
Admin	Y

Request Header Parameters

None, in addition to the ADP standard header parameters.

Sequence of Interactions

The following are the steps shown in the previous diagram:

1. Your consumer application makes a request to the ADP API endpoint for the **worker leaves**.
2. The ADP API endpoint responds to the consumer application with the processing result.

Data Dictionary

The fields listed in the following table can be found in the ADP WorkForce Now UI by selecting **People > Employment > Employment Profile > Status section**.

Schema Location	Field Name	Note
workerLeaves/associateOID		
workerLeaves/workerID		
workerLeaves/workerID/idValue	NA	
workerLeaves/workAssignmentID	NA	
workerLeaves/leaves		
workerLeaves/leaves/itemID		This field is currently not supported.
workerLeaves/leaves/leaveAbsence		
workerLeaves/leaves/leaveAbsence/startDateTime	Leave of Absence Start Date	
workerLeaves/leaves/leaveAbsence/expectedEndDateTime	Leave of Absence Expected Return Date	
workerLeaves/leaves/leaveAbsence/leaveDuration		This field is currently not supported.

workerLeaves/leaves/leaveAbsence/leaveStatus		This field is currently not supported.
workerLeaves/leaves/leaveAbsence/leaveTypeCode		
workerLeaves/leaves/leaveAbsence/leaveTypeCode/codeValue	Leave Reason	
workerLeaves/leaves/leaveAbsence/leaveSubTypeCode		This field is currently not supported.
workerLeaves/leaves/leaveAbsence/paymentStatusCode		
workerLeaves/leaves/leaveAbsence/paymentStatusCode/codeValue	Paid Leave of Absence	
workerLeaves/leaves/leaveAbsence/comment		This field is currently not supported.
workerLeaves/leaves/leaveAbsence/links		This field is currently not supported.
workerLeaves/leaves/leaveReturn		
workerLeaves/leaves/leaveReturn/returnDateTime	Leave Return Date	
workerLeaves/leaves/leaveReturn/notificationReceivedDateTime		This field is currently not supported.
workerLeaves/leaves/leaveReturn/returnToWorkIndicator		This field is currently not supported.
workerLeaves/leaves/leaveReturn/returnStatus		
workerLeaves/leaves/leaveReturn/returnStatus/returnStatusCode		
workerLeaves/leaves/leaveReturn/returnStatus/returnStatusCode/codeValue		
workerLeaves/leaves/leaveReturn/returnStatus/deniedIndicator		This field is currently not supported.
workerLeaves/leaves/leaveReturn/returnStatus/deniedIndicator		This field is currently not supported.

veReturn/returnStatus /deniedReasonCode		
workerLeaves/leaves/leaveReturn/certifications		This field is currently not supported.
workerLeaves/leaves/leaveReturn/comment		This field is currently not supported.
workerLeaves/leaves/leaveReturn/links		This field is currently not supported.

Responses

You may encounter exceptions outside your common success scenarios. You must account for these exceptions during your initial development.

For more information, see [API Common Exceptions and Tips for Handling](#).

Worker Leaves

Response Code	Condition	messageTxt	Tips to Handle
200 OK	Worker leaves when a valid Associate Object ID (AOID) is passed.		Fields with null values are not supported fields and need to be ignored.
400 Bad Request	Unsuccessful response when Invalid AOID is passed.	<pre>"userMessage": { "messageTxt": "JSON is invalid." }</pre>	