



Chapter 8

SSO Logout

from Single Sign-On Integration (SSO) Guide

Published on
Jun 14, 2021 10:54AM

Last modified
Feb 17, 2022 10:40AM



ADP Copyright Information

ADP, the ADP logo, and Always Designing for People are trademarks of ADP, Inc.

Windows is a registered trademark of the Microsoft Corporation.

All other trademarks are the property of their respective owners.

Copyright © 2022 ADP, Inc. ADP Proprietary and Confidential - All Rights Reserved. These materials may not be reproduced in any format without the express written permission of ADP, Inc.

These materials may not be reproduced in any format without the express written permission of ADP, Inc. ADP provides this publication "as is" without warranty of any kind, either expressed or implied, including, but not limited to, the implied warranties of merchantability or fitness for a particular purpose. ADP is not responsible for any technical inaccuracies or typographical errors which may be contained in this publication. Changes are periodically made to the information herein, and such changes will be incorporated in new editions of this publication. ADP may make improvements and/or changes in the product and/or the programmes described in this publication.

Published on
Jun 14, 2021 10:54AM

Last modified
Feb 17, 2022 10:40AM



Chapter Contents

Chapter 8
SSO Logout

SSO Logout

When an end user is logged into your app with their ADP identity, ADP is serving as the OpenID provider (OP) and your app is the OpenID relaying party (RP). When an end user logs out of your application, your app should allow the end user to log out of their OP account and redirect the end user's user agent to the OP's logout endpoint URL.

Parameter	Description
id_token_hint	RECOMMENDED. Previously issued ID Token passed to the logout endpoint as a hint about the End-User's current authenticated session with the Client. This is used as an indication of the identity of the End-User that the RP is requesting be logged out by the OP. The OP need not be listed as an audience of the ID Token when it is used as an id_token_hint value.
post_logout_redirect_uri	OPTIONAL. URL to which the RP is requesting that the end user's user agent be redirected after a logout has been performed. The value MUST have been previously registered with the OP, either using the post_logout_redirect_uris Registration parameter or via another mechanism. If supplied, the OP SHOULD honor this request following the logout.
state	OPTIONAL. Opaque value used by the RP to maintain state between the logout request and the callback to the endpoint specified by the post_logout_redirect_uri parameter. If included in the logout request, the OP passes this value back to the RP using the state query parameter when redirecting the User Agent back to the RP.

Here is an example of a complete OpenID Connect logout URL **(with line breaks and spaces for readability)**.

```
https://accounts.adp.com/auth/oauth/v2/logout?  
post_logout_redirect_uri=https://adppartner.com/login
```

Note: Be sure to destroy the user's session first in your application before redirecting them to the logout URI.