



Chapter 2

Use Case: Adding New Hire Details into ADP Vantage HCM

from Worker Hire API Guide for ADP Vantage HCM Guide

Published on
Nov 24, 2020 6:01AM

Last modified
Aug 02, 2021 5:04AM



ADP Copyright Information

ADP, the ADP logo, and Always Designing for People are trademarks of ADP, Inc.

Windows is a registered trademark of the Microsoft Corporation.

All other trademarks are the property of their respective owners.

Copyright © 2021 ADP, Inc. ADP Proprietary and Confidential - All Rights Reserved. These materials may not be reproduced in any format without the express written permission of ADP, Inc.

These materials may not be reproduced in any format without the express written permission of ADP, Inc. ADP provides this publication "as is" without warranty of any kind, either expressed or implied, including, but not limited to, the implied warranties of merchantability or fitness for a particular purpose. ADP is not responsible for any technical inaccuracies or typographical errors which may be contained in this publication. Changes are periodically made to the information herein, and such changes will be incorporated in new editions of this publication. ADP may make improvements and/or changes in the product and/or the programmes described in this publication.

Published on
Nov 24, 2020 6:01AM

Last modified
Aug 02, 2021 5:04AM



Chapter Contents

Chapter 2

Use Case: Adding New Hire Details into ADP Vantage HCM

Use Case Description

API Usage

Application Scope

Supported Actors

Request Header Parameters

Sequence of Interactions

Use Case Description

API Usage

Application Scope

Supported Actors

Request Header Parameters

Sequence of Interactions

Data Dictionary

Responses

Chapter 2

Use Case: Adding New Hire Details into ADP Vantage HCM

Use Case Description

A success request results in an employee with the **Active** status and details are added into **People > Person Information > Express Profile** in the ADP Vantage HCM UI.

API Usage

Method	Uniform Resource Identifier (URI)	Description	GitHub Sample Request Payload	GitHub Sample Response Payload
GET	/events/hr/v1/worker.hire/meta	Returns new hire API metadata.	NA	worker.hire-meta-http-200-response.json
POST	/events/hr/v1/worker.hire	Posts a new hire information into ADP Vantage HCM.	worker.hire-http-201-request.json	worker.hire-http-201-response.json

Application Scope

The canonical URI corresponding to the Worker Hire API needs to be added in the Consumer Application Registry (CAR) for the subscription following which a user can access this API and make successful API calls.

The following canonical needs to be added to your application scope to enable this use case:

/hr/workerInformationManagement/workerManagement/lifecycleManagement/worker.hire

Supported Actors

Request Parameter roleCode Value	Is Supported (Y/N)?	Usage
Practitioner	Y	Adds a new hire into ADP Vantage HCM. This results in employee creation with a status of Active .

Request Header Parameters

There are no Request Header Parameters in addition to the ADP standard header parameters.

Sequence of Interactions

1. Your consumer application makes a request for **/events/hr/v1/worker.hire/meta** to the ADP API endpoint.
2. The ADP API endpoint responds to your consumer application with the meta payload. Your consumer application processes the meta payload to validate data included in the payload in step 3 and prompts the user to fix any validation issues. Otherwise, compose the payload for the **/events/hr/v1/worker.hire** request.
3. Your consumer application makes a **/events/hr/v1/worker.hire** request the ADP API endpoint.
4. The ADP API endpoint responds to the consumer application concerning the details of **/events/hr/v1/worker.hire**

Use Case Description

A success request results in an employee with the **Active** status and details are added into **People > Person Information > Express Profile** in the ADP Vantage HCM UI.

API Usage

Method	Uniform Resource Identifier (URI)	Description	GitHub Sample Request Payload	GitHub Sample Response Payload
GET	/events/hr/v1/worker.hire/meta	Returns new hire API metadata.	NA	worker.hire-meta-http-200-response.json
POST	/events/hr/v1/worker.hire	Posts a new hire information into ADP Vantage HCM.	worker.hire-http-201-request.json	worker.hire-http-201-response.json

Application Scope

The canonical URI corresponding to the Worker Hire API needs to be added in the Consumer Application Registry (CAR) for the subscription following which a user can access this API and make successful API calls.

The following canonical needs to be added to your application scope to enable this use case:

/hr/workerInformationManagement/workerManagement/lifecycleManagement/worker.hire

Supported Actors

Request Parameter roleCode Value	Is Supported (Y/N)?	Usage
Practitioner	Y	Adds a new hire into ADP Vantage HCM. This results in employee creation with a status of Active .

Request Header Parameters

There are no Request Header Parameters in addition to the ADP standard header parameters.

Sequence of Interactions

1. Your consumer application makes a request for **/events/hr/v1/worker.hire/meta** to the ADP API endpoint.
2. The ADP API endpoint responds to your consumer application with the meta payload. Your consumer application processes the meta payload to validate data included in the payload in step 3 and prompts the user to fix any validation issues. Otherwise, compose the payload for the **/events/hr/v1/worker.hire** request.
3. Your consumer application makes a **/events/hr/v1/worker.hire** request the ADP API endpoint.
4. The ADP API endpoint responds to the consumer application concerning the details of **/events/hr/v1/worker.hire**

Data Dictionary

The New Hire API exposes ADP Vantage HCM data displayed in the ADP Vantage HCM UI by selecting **People > Job Activities > New Hire > Active New Hires > Select a Template > Start New Hire**.

Schema Location	Field Name in ADP Vantage HCM UI	Is it Required (Y/N)?	Notes
/eventReasonCode	Not Displayed	N	Reason for Hire
/eventReasonCode/codeValue	Reason	N	
/worker/workerID/idValue	Employee ID	Y	
/worker/person/governmentIDs	Not Displayed	N	Government ID (SSN/SIN)
/worker/person/governmentIDs/nameCode	Not Displayed	N	
/worker/person/governmentIDs/nameCode/codeValue	SSN	N	
/worker/person/governmentIDs/idValue	Social Security Number	Y	
/worker/person/governmentIDs/statusCode	Not Displayed	N	
/worker/person/governmentIDs/statusCode	Applied for SSN	N	

e/codeValue			
/worker/person/legal Name	Not Displayed	Y	Name
/worker/person/legal Name/givenName	First	Y	
/worker/person/legal Name/middleName	Middle	N	
/worker/person/legal Name/familyName1	Last	Y	
/worker/person/legal Name/formattedName	Legal Name	N	
/worker/person/legal Name/preferredSaluta tions	Not Displayed	N	
/worker/person/legal Name/preferredSaluta tions/salutationCode/l ongName	Prefix	N	
/worker/person/legal Name/generationAffix Code/longName	Suffix	N	
/worker/person/legal Name/titleAffixCodes	Not Displayed	N	
/worker/person/legal Name/titleAffixCodes /affixCode/longName	Former Title	N	
/worker/person/prefe rredName	Not Displayed	N	Known As
/worker/person/prefe rredName/givenName	First	N	
/worker/person/prefe rredName/middleNam e	Middle	N	
/worker/person/prefe rredName/familyName 1	Last	N	
/worker/person/prefe rredName/formattedN ame	Name	N	
/worker/person/form erNames	Not Displayed	N	
/worker/person/form erNames/familyName1	Former Name	N	
/worker/person/legal Address	Not Displayed	Y	Home Address

/worker/person/legal Address/lineOne	Address Line 1	Y	
/worker/person/legal Address/lineTwo	Address Line 2	N	
/worker/person/legal Address/cityName	City	Y	
/worker/person/legal Address/postalCode	ZIP		
/worker/person/legal Address/countryCode	Country	Y	
/worker/person/legal Address/countrySubdi visionLevel1	State	Y	
/worker/person/legal Address/countrySubdi visionLevel1/codeValu e	State	Y	
/worker/person/legal Address/countrySubdi visionLevel2/longNam e	County	N	
/worker/person/legal Address/lineThree	Address Line 3	N	Address Line 3, 4 and 5 will be available in UI only if the country is other than US and Canada
/worker/person/legal Address/lineFour	Address Line 4	N	
/worker/person/legal Address/lineFive	Address Line 5	N	
/worker/person/other PersonalAddresses	Not Displayed	N	Mailing Address
/worker/person/other PersonalAddresses/lin eOne	Address Line 1	Y	
/worker/person/other PersonalAddresses/lin eTwo	Address Line 2	N	
/worker/person/other PersonalAddresses/cit yName	City	Y	
/worker/person/other PersonalAddresses/po stalCode	ZIP		
/worker/person/other PersonalAddresses/co untryCode	Country	Y	
/worker/person/other	State	Y	

PersonalAddresses/co untrySubdivisionLevel 1			
/worker/person/other PersonalAddresses/co untrySubdivisionLevel 1/codeValue	State	Y	
/worker/person/other PersonalAddresses/lin eThree	Address Line 3	N	Address Line 3, 4 and 5 will be available in UI only if the country is other than US and Canada
/worker/person/other PersonalAddresses/lin eFour	Address Line 4	N	
/worker/person/other PersonalAddresses/lin eFive	Address Line 5	N	
/worker/person/other PersonalAddresses/sa meAsAddressIndicator	Same as home address?	Y	This indicator is used to support the ability to say that one address is the same as the home address.
/worker/person/com munication/emails	Not Displayed	N	
/worker/person/com munication/emails/em ailUri	Personal Email	N	
/worker/person/com munication/landlines	Not Displayed	N	
/worker/person/com munication/landlines/ nameCode	Not Displayed	Y	
/worker/person/com munication/landlines/ nameCode/codeValue	Home-Phone	Y	
/worker/person/com munication/landlines/c ountryDialing	Country Code	N	
/worker/person/com munication/landlines/f ormattedNumber	Phone Number	Y	
/worker/person/com munication/mobiles	Not Displayed	N	
/worker/person/com munication/mobiles/n ameCode	Not Displayed	Y	
/worker/person/com munication/mobiles/n ameCode/codeValue	Personal Cell	Y	
/worker/person/com munication/mobiles/c	Country Code	N	

countryDialing			
/worker/person/communication/mobiles/formattedNumber	Phone Number	Y	
/worker/person/communication/faxes	Not Displayed	N	
/worker/person/communication/faxes/nameCode	Not Displayed	Y	
/worker/person/communication/faxes/nameCode/codeValue	Home Fax	Y	
/worker/person/communication/faxes/countryDialing	Country Code	N	
/worker/person/communication/faxes/formattedNumber	Fax Number	Y	
/worker/person/communication/pagers	Not Displayed	N	
/worker/person/communication/pagers/nameCode	Not Displayed	Y	
/worker/person/communication/pagers/nameCode/codeValue	Pager	Y	
/worker/person/communication/pagers/countryDialing	Country Code	N	
/worker/person/communication/pagers/extension	Pin	N	
/worker/person/communication/pagers/formattedNumber	Pager Number	Y	
/worker/person/raceCode	Not Displayed	N	
/worker/person/raceCode/codeValue	Race/Ethnicity	N	
/worker/person/genderCode	Not Displayed	Y	
/worker/person/genderCode/codeValue	Gender	Y	
/worker/person/maritalStatusCode	Not Dsiplayed	Y	

/worker/person/maritalStatusCode/codeValue	Marital Status	Y	
/worker/person/maritalStatusCode/effectiveDate	Marital Status Date	N	
/worker/person/birthDate	Birth Date	Y	
/worker/person/highestEducationLevelCode	Not Displayed	N	
/worker/person/highestEducationLevelCode/codeValue	Highest Educational Level	N	
/worker/person/disabledIndicator	Disabled	Y	
/worker/person/disabilityIdentificationDeclaredIndicator	Not Displayed	N	
/worker/person/militaryClassificationCodes	Not Displayed	N	
/worker/person/militaryClassificationCodes/codeValue	Military Status	N	
/worker/person/militaryStatusCode	Not Displayed	N	
/worker/person/militaryStatusCode/codeValue	Protected Veteran Status	N	
/worker/person/militaryDischargeDate	Military Discharge Date	N	
/worker/workerStatus/statusCode	Not Displayed	Y	
/worker/workerStatus/statusCode/codeValue	Status	Y	
/worker/businessCommunication/emails	Not Displayed	N	
/worker/businessCommunication/emails/emailUri	Work Email	N	
/worker/businessCommunication/landlines	Not Displayed	N	
/worker/businessCommunication/landlines/nameCode	Not Displayed	Y	

/worker/businessCommunication/landlines/nameCode/codeValue	Office	Y	
/worker/businessCommunication/landlines/countryDialing	Country Code	N	
/worker/businessCommunication/landlines/formattedNumber	Phone Number	Y	
/worker/businessCommunication/landlines/extension	Ext	N	
/worker/businessCommunication/mobiles	Not Displayed	N	
/worker/businessCommunication/mobiles/nameCode	Not Displayed	Y	
/worker/businessCommunication/mobiles/nameCode/codeValue	Work Cell	Y	
/worker/businessCommunication/mobiles/countryDialing	Country Code	N	
/worker/businessCommunication/mobiles/formattedNumber	Phone Number	Y	
/worker/businessCommunication/faxes	Not Displayed	N	
/worker/businessCommunication/faxes/nameCode	Not Displayed	Y	
/worker/businessCommunication/faxes/nameCode/codeValue	Work Fax	Y	
/worker/businessCommunication/faxes/countryDialing	Country Code	N	
/worker/businessCommunication/faxes/formattedNumber	Fax Number	Y	
/worker/workAssignment/hireDate	Hire Date	Y	
/worker/workAssignment/seniorityDate	Job Sr Date	N	
/worker/workAssignment/assignedOrganizationalUnits	Not Displayed	Y	

/worker/workAssignment/assignedOrganizationalUnits/typeCode	Not Displayed	Y	
/worker/workAssignment/assignedOrganizationalUnits/typeCode/codeValue	Department or Payroll Department Number	Y	
/worker/workAssignment/assignedOrganizationalUnits/nameCode	Not Displayed	Y	
/worker/workAssignment/assignedOrganizationalUnits/nameCode/codeValue	Not Displayed	Y	
/worker/workAssignment/geographicPayDifferentialCode	Not Displayed	N	
/worker/workAssignment/geographicPayDifferentialCode/codeValue	Geographic Differential	N	
/worker/workAssignment/legalEntityID	Company	Y	
/worker/workAssignment/homeOrganizationalUnits	Not Displayed	N	
/worker/workAssignment/homeOrganizationalUnits/typeCode/codeValue	Not Displayed	N	
/worker/workAssignment/homeOrganizationalUnits/nameCode	Not Displayed	N	
/worker/workAssignment/homeOrganizationalUnits/nameCode/codeValue	Company or Cost Number	N	
/worker/workAssignment/homeWorkLocation/nameCode	Not Displayed	Y	
/worker/workAssignment/homeWorkLocation/nameCode/codeValue	Work Location	Y	
/worker/workAssignment/jobCode	Not Displayed	Y	
/worker/workAssignment/jobCode/codeValue	Job Title	Y	
/worker/workAssignment	Not Displayed	Y	

ent/assignedWorkLocations			
/worker/workAssignment/assignedWorkLocations/nameCode	Not Displayed	Y	
/worker/workAssignment/assignedWorkLocations/nameCode/codeValue	Work Location	Y	
/worker/workAssignment/assignmentTermCode	Not Displayed	Y	
/worker/workAssignment/assignmentTermCode/codeValue	Regular/Temp	Y	
/worker/workAssignment/workLevelCode	Not Displayed	N	
/worker/workAssignment/workLevelCode/codeValue	Full-Time/Part Time	N	
/worker/workAssignment/bargainingUnit/bargainingUnitCode	Not Displayed	N	
/worker/workAssignment/bargainingUnit/bargainingUnitCode/codeValue	Bargaining Unit	N	
/worker/workAssignment/bargainingUnit/seniorityDate	Bargaining Unit Seniority Date	N	
/worker/workAssignment/laborUnion/laborUnionCode	Not Displayed	N	
/worker/workAssignment/laborUnion/laborUnionCode/codeValue	Union Code	N	
/worker/workAssignment/laborUnion/seniorityDate	Union Seniority Date	N	
/worker/workAssignment/baseRemuneration	Not Displayed	Y	
/worker/workAssignment/baseRemuneration/recordingBasisCode	Not Displayed	Y	
/worker/workAssignment/baseRemuneration/recordingBasisCode/codeValue	Compensation Frequency	Y	Based on recordingBasisCode, the RateAmount should be passed

/worker/workAssignment/baseRemuneration/annualRateAmount/amountValue	Annual	N	Used when recordingBasisCode is sent "A" (Annually)
/worker/workAssignment/baseRemuneration/hourlyRateAmount/amountValue	Hourly	N	Used when recordingBasisCode is sent "H" (Hourly)
/worker/workAssignment/baseRemuneration/dailyRateAmount/amountValue	Not Displayed	N	Used when recordingBasisCode is sent "D" (Daily)
/worker/workAssignment/baseRemuneration/weeklyRateAmount/amountValue	Not Displayed	N	Used when recordingBasisCode is sent "W" (Weekly)
/worker/workAssignment/baseRemuneration/biweeklyRateAmount/amountValue	Not Displayed	N	Used when recordingBasisCode is sent "B" (Biweekly)
/worker/workAssignment/baseRemuneration/semiMonthlyRateAmount/amountValue	Not Displayed	N	Used when recordingBasisCode is sent "S" (Semi-monthly)
/worker/workAssignment/baseRemuneration/monthlyRateAmount/amountValue	Monthly	N	Used when recordingBasisCode is sent "M" (Monthly)
/worker/workAssignment/baseRemuneration/payPeriodRateAmount/currencyCode	Currency	N	
/worker/workAssignment/annualBenefitBaseRate/amountValue	Annual Benefits Base Rate	N	
/worker/workAssignment/payScaleCode/codeValue	Salary Plan	N	
/worker/workAssignment/remunerationBasisCode	Not Displayed	Y	
/worker/workAssignment/remunerationBasisCode/codeValue	Pay Type	Y	
/worker/workAssignment/payScaleCode	Pay Period	N	
/worker/workAssignment/payGradeCode	Not Displayed	N	
/worker/workAssignment/payGradeCode/codeValue	Salary Grade	N	

/worker/workAssignment/payGradeStepCode	Not Displayed	N	
/worker/workAssignment/payGradeStepCode/codeValue	Salary Step	N	
/worker/workAssignment/nextPayGradeStepDate	Next Step Date	N	
/worker/workAssignment/occupationalClassifications	Not Displayed	N	
/worker/workAssignment/occupationalClassifications/nameCode	Not Displayed	Y	
/worker/workAssignment/occupationalClassifications/nameCode/codeValue	Exclude from EEO Report	Y	
/workAssignment/wageLawCoverage/coverageCode/codeValue	FLSA Status	N	
/worker/workAssignment/officerTypeCode	Not Displayed	N	
/worker/workAssignment/officerTypeCode/codeValue	Officer Code	N	
/worker/workAssignment/managementPositionIndicator	Manager Role	N	
/worker/workAssignment/payrollFileNumber	File Number	N	Payroll File Number is a required field, if Auto Assign File Number is disabled for the paygroup in ADP Vantage HCM UI Setup > Field Definitions & Mappings > Setup Information > Company > Paygroups > Select pay group XXX > Settings.
/worker/workAssignment/payrollGroupCode	Pay Group	Y	
/worker/workAssignment/standardHours/hoursQuantity	Standard Hours	Y	
/worker/workAssignment/standardPayPeriodHours/hoursQuantity	Payroll Standard Hours	N	
/worker/workAssignment/stockOwnerIndicator	Owns 5% or more of the company	N	
/worker/workAssignment	Business Title	N	

ent/jobTitle			
/worker/workAssignment/workerTypeCode	Not Displayed	N	
/worker/workAssignment/workerTypeCode/codeValue	Employee Classification	N	
/worker/workAssignment/workShiftCode	Not Displayed	N	
/worker/workAssignment/workShiftCode/codeValue	Shift Qualifier	N	
/worker/workAssignment/reportsTo	Not Displayed	Y	
/worker/workAssignment/reportsTo/reportsToRelationshipCode/codeValue	Not Displayed	Y	
/worker/workAssignment/reportsTo/workerID/idValue	Reports To	Y	
/worker/workAssignment/reportsTo/workerID/idValue	Secondary Manager	N	
/worker/workAssignment/additionalRemunerations	Not Displayed	N	
/worker/workAssignment/additionalRemunerations/typeCode	Not Displayed	N	
/worker/workAssignment/additionalRemunerations/typeCode/codeValue	Additional Rate Types	N	
/worker/workAssignment/additionalRemunerations/rate/amountValue	Hourly Rate	N	
/worker/workAssignment/additionalRemunerations/associatedRateQualifiers	Not Displayed	N	
/worker/workAssignment/additionalRemunerations/associatedRateQualifiers/itemID	Not Displayed	N	
/worker/workAssignment/additionalRemunerations/associatedRateQualifiers	Not Displayed	N	

fiers/qualifierObjectCode			
/worker/workAssignment/customFieldGroup/stringFields	Not Displayed	N	Status Flags/Custom Areas
/worker/workAssignment/customFieldGroup/stringFields/nameCode	Not Displayed	N	
/worker/workAssignment/customFieldGroup/stringFields/nameCode/codeValue	Custom Area	N	
/worker/workAssignment/customFieldGroup/dateFields	Not Displayed	N	
/worker/workAssignment/customFieldGroup/dateFields/nameCode	Not Displayed	N	
/worker/workAssignment/customFieldGroup/dateFields/nameCode/codeValue	Custom Dates	N	
/worker/workAssignment/customFieldGroup/codeFields	Not Displayed	N	
/worker/workAssignment/customFieldGroup/codeFields/nameCode	Not Displayed	N	
/worker/workAssignment/customFieldGroup/codeFields/nameCode/codeValue	Status Flags	N	

Responses

You may encounter exceptions outside your common success scenarios. You must account for these exceptions during your initial development.

For more information, see [API Common Exceptions and Tips for Handling](#).

Response Code	Condition	messageTxt	GitHub Sample Request Payload	GitHub Sample Response Payload	Tips to Handle
---------------	-----------	------------	-------------------------------	--------------------------------	----------------

201 Created	Request is processed successfully.	NA	worker.hire-http-201-request.json	worker.hire-http-201-response.json	Refer to the payload values for creating a proper request.
201 Created	Request payload with minimum required fields.	NA	worker.hire-http-201-with-minimum-required-fields-request.json	worker.hire-http-201-with-minimum-required-fields-response.json	Payload contains minimum required fields to create a new hire
201 Created	New Hire without passing OtherPersonalAddress in the request.	NA	worker.hire-http-201-without-otherPersonalAddress-request.json	worker.hire-http-201-without-otherPersonalAddress-response.json	Personal Address can be added using /events/hr/v1/worker.personal-address.add API Worker Management API Guide for ADP Vantage HCM - 2020#UseCase:Updatingworker%E2%80%99sPersonalAddress
201 Created	New Hire using International PayGroup .	NA	worker.hire-http-201-international-paygroup-request.json	worker.hire-http-201-international-paygroup-response.json	Refer to the payload values for creating a proper request.
400 Bad Request	When incorrect SSN Number is passed in the request.	"messageTxt": "You have entered a Social Security Number in an incorrect format. Format must be: 999-99-9999."	worker.hire-http-400-ssn-number-incorrect-format-request.json	worker.hire-http-400-ssn-number-incorrect-format-response.json	
400 Bad Request	When the same SSN Number is used for New Hire .	"messageTxt": "You have entered a Social Security Number/Federal EIN/ITIN already used by Employee ID XXXXXX. Review the matching employees and correct entry errors."	worker.hire-http-400-same-ssn-number-used-for-new-hire-request.json	worker.hire-http-400-same-ssn-number-used-for-new-hire-response.json	
400 Bad Request	When Birth Date isn't passed in the request.	"messageTxt": "You must enter a value in the required field (Employee Personal Data-Birthdate)."	worker.hire-http-400-birth-date-left-blank-request.json	worker.hire-http-400-birth-date-left-blank-response.json	
400 Bad Request	When the Birth Date passed in the request is later than today's date.	"messageTxt": "You have entered a birth date that is later than today's date."	worker.hire-http-400-birthDate-later-than-today's-date-request.json	worker.hire-http-400-birthDate-later-than-today's-date-response.json	
400 Bad Request	When invalid Hire Date is passed in the request.	"messageTxt": "The date you entered is invalid. Enter a valid date (JOB-Effective Date)."	worker.hire-http-400-invalid-hireDate-request.json	worker.hire-http-400-invalid-hireDate-response.json	
400 Bad Request	When payrollGroup Code isn't passed in the request.	"messageTxt": "You must enter a value in the required field (Employee Job Data-Pay Group)."	worker.hire-http-400-payroll-GroupCode-left-blank-request.json	worker.hire-http-400-payroll-GroupCode-left-blank-response.json	

400 Bad Request	When invalid Gender code is passed in the request.	"messageTxt": "You have entered an invalid value for Employee Personal Data-Gender. Select a valid value from the list provided."	worker.hire-http-400-invalid-genderCode-request.json	worker.hire-http-400-invalid-genderCode-response.json	
400 Bad Request	When Given Name isn't passed in the request.	"messageTxt": "You must enter a value in the required field (Employee Personal Data-First Name)."	worker.hire-http-400-given-name-left-blank-request.json	worker.hire-http-400-given-name-left-blank-response.json	
400 Bad Request	When familyName1 isn't passed in the request.	"messageTxt": "You must enter a value in the required field (Employee Personal Data-Last Name)."	worker.hire-http-400-family-name1-left-blank-request.json	worker.hire-http-400-family-name1-left-blank-response.json	
400 Bad Request	When formattedName isn't passed in the request.	"messageTxt": "You must enter a value in the required field (Employee Personal Data-Name)."	worker.hire-http-400-formattedName-left-blank-request.json	worker.hire-http-400-formattedName-left-blank-response.json	
400 Bad Request	When incorrect formattedName is passed in the request.	"messageTxt": "You have entered the name in an incorrect format (- Name). The format must be [last name] [suffix],[prefix] [first name]. Alphanumeric characters, spaces, periods, hyphens, and apostrophes are accepted. Note that spaces are not allowed between the suffix, comma, and prefix."	worker.hire-http-400-formattedName-incorrect-format-request.json	worker.hire-http-400-formattedName-incorrect-format-response.json	
400 Bad Request	When Address Line 1 isn't passed in request.	"messageTxt": "You must enter a value in the required field (Employee Personal Data-Address (Line 1))."	worker.hire-http-400-legal-address1-left-blank-request.json	worker.hire-http-400-legal-address1-left-blank-response.json	
400 Bad Request	When city isn't passed in request.	"messageTxt": "You must enter a value in the required field (Employee Personal Data-City)."	worker.hire-http-400-legal-address-city-left-blank-request.json	worker.hire-http-400-legal-address-city-left-blank-response.json	
400 Bad Request	When countrySubdivisionLevel1 isn't passed in the request.	"messageTxt": "You must enter at least Address (Line 1), City, State/Province, and ZIP/Postal Code."	worker.hire-http-400-countrySubdivisionLevel1-left-blank-request.json	worker.hire-http-400-countrySubdivisionLevel1-left-blank-response.json	
400 Bad Request	When Postal Code isn't passed in the request.	"messageTxt": "You must enter at least Address (Line 1), City, State/Province, and ZIP/Postal Code."	worker.hire-http-400-postal-code-left-blank-request.json	worker.hire-http-400-postal-code-left-blank-response.json	

400 Bad Request	When invalid Postal Code is passed in the request.	"messageTxt": "U.S. ZIP code is incorrect. Enter the ZIP code in one of the following formats: 99999, 99999-9999, or 999999999 (Employee Personal Data-Postal/Zip)."	worker.hire-http-400-invalid-postal-code-request.json	worker.hire-http-400-invalid-postal-code-response.json	
400 Bad Request	When invalid workLocation is passed in the request.	"messageTxt": "You have entered an invalid value for Employee Job Data-Reporting Location. Select a valid value from the list provided."	worker.hire-http-400-invalid-work-location-request.json	worker.hire-http-400-invalid-work-location-response.json	
400 Bad Request	When invalid maritalStatusCode is passed in the request.	"messageTxt": "You have entered an invalid value for Employee Personal Data-Marital Status. Select a valid value from the list provided."	worker.hire-http-400-invalid-marital-status-request.json	worker.hire-http-400-invalid-marital-status-response.json	
400 Bad Request	When invalid assignedOrganizationalUnits is passed in the request.	"messageTxt": "You have entered an invalid value for Employee Job Data-Department ID. Select a valid value from the list provided."	worker.hire-http-400-invalid-assignedOrganizationalUnits-request.json	worker.hire-http-400-invalid-assignedOrganizationalUnits-response.json	
400 Bad Request	When invalid jobCode is passed in the request.	"messageTxt": "You have entered an invalid value for Employee Job Data-Job Code. Select a valid value from the list provided."	worker.hire-http-400-invalid-jobCode-request.json	worker.hire-http-400-invalid-jobCode-response.json	
400 Bad Request	When invalid assignmenttermcode is passed in the request.	"messageTxt": "You have entered an invalid value for Employee Job Data-Regular/Temporary. Select a valid value from the list provided."	worker.hire-http-400-invalid-assignmenttermcode-request.json	worker.hire-http-400-invalid-assignmenttermcode-response.json	
400 Bad Request	When workLevelCode isn't passed in the request.	"messageTxt": "You must enter a value in the required field (Employee Job Data-Full/Part Time)."	worker.hire-http-400-worklevelcode-left-blank-request.json	worker.hire-http-400-worklevelcode-left-blank-response.json	
400 Bad Request	When remunerationBasisCode isn't passed in the request.	"messageTxt": "You must enter a value in the required field (Employee Job Data-Employee Type)."	worker.hire-http-400-remunerationBasisCode-left-blank-request.json	worker.hire-http-400-remunerationBasisCode-left-blank-response.json	
400 Bad Request	When recordingBasisCode isn't passed in the request.	"messageTxt": "You must enter a value in the required field	worker.hire-http-400-recordingBasisCode-left-blank-request.json	worker.hire-http-400-recordingBasisCode-left-blank-response.json	

		(Employee Job Data-Compensation Frequency)."			
400 Bad Request	When reports-to-id isn't passed in the request.	"messageTxt": "You must enter a value in the required field (Employee Job Data-Reports To Manager ID)."	worker.hire-http-400-reports-to-id-left-blank-request.json	worker.hire-http-400-reports-to-id-left-blank-response.json	
400 Bad Request	When payPeriodRateAmount isn't passed in the request.	"messageTxt": "You must enter a value in the required field (Employee Job Data-Currency Code)."	worker.hire-http-400-currencyCode-left-blank-request.json	worker.hire-http-400-currencyCode-left-blank-response.json	
400 Bad Request	When payrollfileNumber is n't passed in the request.	"messageTxt": "File number is required. Enter a unique file number for this employee."	worker.hire-http-400-payroll-fileNumber-left-blank-request.json	worker.hire-http-400-payroll-fileNumber-left-blank-response.json	Payroll File Number is a required field, if Auto Assign File Number is disabled for the paygroup in ADP Vantage HCM UI Setup > Field Definitions & Mappings > Setup Information > Company > Paygroups > Select pay group XXX > Settings.
400 Bad Request	When same payrollfileNumber is passed in the request.	"messageTxt": "Unable to register new hire. File number is required. Enter a unique file number for this employee."	worker.hire-http-400-same-payroll-fileNumber-request.json	worker.hire-http-400-same-payroll-fileNumber-response.json	Auto Assign File Number is disabled for the paygroup in ADP Vantage HCM UI
400 Bad Request	When invalid payScalecode is passed in the request.	"messageTxt": "You have entered an invalid value for Employee Job Data-Salary Administration Plan. Select a valid value from the list provided."	worker.hire-http-400-invalid-payScalecode-request.json	worker.hire-http-400-invalid-payScalecode-response.json	
400 Bad Request	When invalid legalEntityID is passed in the request.	"messageTxt": "You have entered an invalid value for Employee Job Data-Company. Select a valid value from the list provided."	worker.hire-http-400-invalid-legalEntityID-request.json	worker.hire-http-400-invalid-legalEntityID-response.json	
400 Bad Request	When invalid bargainingUnitCode is passed in the request.	"messageTxt": "You have entered an invalid value for Employee Job Data-Bargaining Unit. Select a valid value from the list provided."	worker.hire-http-400-invalid-bargainingUnitCode-request.json	worker.hire-http-400-invalid-bargainingUnitCode-response.json	
400 Bad Request	When invalid laborUnionCode is passed in the request.	"messageTxt": "You have entered an invalid value for Employee Job Data-	worker.hire-http-400-invalid-laborUnionCode-request.json	worker.hire-http-400-invalid-laborUnionCode-response.json	

		Union Code. Select a valid value from the list provided."			
400 Bad Request	When invalid geographicPayDifferentialCode is passed in the request.	"messageTxt": "You have entered an invalid value for Employee Job Data-Geographic Differential ID. Select a valid value from the list provided."	worker.hire-http-400-invalid-geographicPayDifferentialCode-request.json	worker.hire-http-400-invalid-geographicPayDifferentialCode-response.json	
400 Bad Request	When invalid Status flagCode is passed in the request.	"messageTxt": "You have entered an invalid value for Employee Genl Employment Data-Flag 1. Select a valid value from the list provided."	worker.hire-http-400-invalid-status-flagCode-request.json	worker.hire-http-400-invalid-status-flagCode-response.json	